

OD35E-48 Series – Dairy Open Merchandiser

48" Maximum Width – 78.5" Height

Straight Sides – Endless Design



Model No.	Description	Length	Depth	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-OD35E-48-LED	Self Contained	48"	34.5"	78.5"	115/208-230	13.0	3/4	L14-20P	965
SC-OD35E-48-B-LED	Self Contained	48"	34.5"	78.5"	115/208-230	13.0	3/4	L14-20P	965
SC-OD35E-48-S-LED	Self Contained	48"	34.5"	78.5"	115/208-230	13.0	3/4	L14-20P	965

MODEL NUMBER PREFIX - SC = Self Contained

MODEL NUMBER SUFFIX - W = White B = Black S = Stainless Steel LED = LED lighting

- Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity
- Cases are equipped with drains; check your local building codes for connection requirements.
- Specification subject to change without notice

IF COLORS ARE MIXED AN ADDITIONAL CHARGE WILL APPLY

Revised 5/2019

REVIT ENGINEERING

KCL c **UL** **US**
LISTED

CLASSIFIED
EPH
ANSI/NSF 7

SANITATION
CLASSIFIED
NSF/ANSI 7
647N

OD35E-48 Series – Dairy Open Merchandiser **48" Maximum Width – 78.5" Height** **Straight Sides – Endless Design**

Standard Specifications and Optional Features

CONSTRUCTION

- UL Classified to ANSI/NSF 7
- Foamed in place CFC free foam
- Heavy gauge steel super structure
- Multi deck
- Endless design allows for continuous line up

INTERIOR

- White, black, or stainless steel end panels
- Removable white, black, or stainless steel floor pans
- White, black, or stainless steel perforated rear wall (for even air distribution)
- Full length lighting at top of unit
- 4 levels of lighted shelving
- 5 levels of product display
- Stylish price tag molding on each shelf

EXTERIOR

- White, black, or stainless steel ends and front
- Removeable front grill allows for cleaning and servicing
- 1" bumper
- Choice of end panels

FINISHES

- White, black, or stainless steel front rail
- White, black, or stainless steel end trim
- Laminate, and custom paints available
- White, black, or stainless steel end panels
- White, black, or stainless steel rear panels

LIGHTING

- 1 row at inside top of unit
- 4 rows of lighted shelving

ELECTRICAL REQUIREMENTS

- Self contained unit comes with cord and plug
- UL/CUL listed
- See Tech page for details on voltage

REFRIGERATION

- Self Contained; R448A expansion valve system
- Low velocity fans located below deck area (to insure even flow of air)
- Electronic Control System with automatic air defrost to maintain balanced temperatures
- New high efficiency air screen technology
- Self contained system
- Copeland hermetic unit
- Remotes available

OPTIONAL FEATURES

- Solid state lighting
- Night covers
- Security cover
- Peg bars
- Insulated divider for line ups
- Plexiglas divider for line ups
- Stainless steel, laminated or paint
- Product stops on shelving
- 4 different end panel choices
- Digital thermometer

Important Note:

All refrigerated cases are designed to operate in an environment of 75 degrees and 55% relative humidity. Product must be cooled before being displayed within the case.

DRAIN IS REQUIRED

OD35E-48 Series – Dairy Open Merchandiser 48" Maximum Width – 78.5" Height Straight Sides – Endless Design

Technical Data

Model No.		SC-OD35E-48-LED
Length with (2) ends		51"
Length without ends		48"
Height with ends		78.5"
Height without ends		78"
Depth with ends		34.5"
Depth without ends		34.25"
Endless design (Dimensions are +/- 1/4")		YES
Operating temperature		36°F to 40°F
Refrigerant (exp. valve)		(SC) R448A
Compressor size HP		3/4
Defrost per day (24 hours)	Air Defrost	6 per day
Voltage		115/208-230
Amperage		13
Cord and plug		L14-20P
Exterior color		W, B, S
Interior color		W, B, S
# of rows / shelves		4 / 4
Shelf Size		(4) 18"
Shipping Info		
Height		86"
Depth		44"
Length		61"
Gross weight SC		965
Cubic feet		130

(ALL WHITE OR ALL BLACK, NO EXTRA CHARGE—IF COLORS ARE MIXED AN ADDITIONAL CHARGE WILL APPLY)

Prefix

SC = Self Contained

Suffix

W = White

B = Black

S = Stainless Steel


LED = LED lighting

- Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity
- Cases are equipped with drains; check your local building codes for connection requirements.
- Specification subject to change without notice


OD35E-48 Series – Dairy Open Merchandiser 48" Maximum Width – 78.5" Height Straight Sides – Endless Design

Technical Data • Side View • Plan View


Side View



4' Front View



4' Floor Plan View



OD35E Solid Side Standard

