


Autobroil Omni

Model F12(G)

Straight Through Conveyor Broiler





The **Model F12** (**G**) is designed to broil fish and chicken in just 2 to 6 minutes. Conveyor automation with infrared heat radiating top and bottom makes the difference in cooking ease and time. High heat sears in natural juices and flavors. Model F12 is electric. Model F12G is gas.

The **Model F12** (G) is compact and fits on any counter top under existing ventilation systems for maximum versatility. This unit can also be placed on a standard undercounter freezer or refrigerator.

All Marshall products are supported by a nationwide service organization and in-house, full-time Customer Support Department. To place an order call:

1-800-627-8368

ETL (US, Canada) & NSF Listed FOR COMMERCIAL USE ONLY

Marshall's countertop compact Autobroil OmniTM models are designed for high production broiling of meat and fish filets. Reusable Bon Chef pans or disposable foil pans save time and enhance menu flexibility.

FEATURES

- Infrared heat top and bottom
- Cooking tunnel self cleans. Any residual spillage can be vacuumed away
- Electronic control systems mounted in locking drop-down cabinet for easy servicing
- Six menu selections are pre-programmed digitally by minutes and seconds
- Exterior wipes clean with damp cloth
- Insulated side panels
- Adjustable, digital display temperature controls

CONSTRUCTION

- Heavy gauge stainless steel solid weld frame construction
- 3/16" diameter, heavy-duty stainless steel conveyor rods
- Simple conveyor tension adjustment
- Easy to operate computer control panel
- Heavy duty industrial grade heating elements or gas burners

VOLUME

F12 94 portions per hour F12G 94 portions per hour (Based on 4.5 x 7.0" cooking pan and 4 minute cook time.)

(Figures for estimating only. Actual production varies with fat content, surface texture and meat starting temperature.)

Ask about Marshall's ThermoGlo™ Food Warmers, companion High Speed Toasters, and Ventilation Systems.


Marshall Air Systems, Inc.

419 Peachtree Drive South • Charlotte, North Carolina 28217 USA • Phone: (704) 525-6230 Fax: (704) 525-6229 • www.marshallair.com



Model F12(G)

Straight Through Conveyor Broiler



Overall Dimensions Model F12(G)

Dimensions:	sions: Height: Width: 27.75" (705mm) 46.875" (11		91mm)	Depth: 19.750"(502mm)	
Shipping				NMFC	
Information:	Weight: Ship Wt:		Freight (USA)	Ship Cubes:	
	197 lbs (102 kilos) 225 lbs (116 kilos)		Class 85	14 cubic ft (0.49 cubic meters)	
Electrical					
Wiring:					
F12	208V/60Hz/1 ph 32 amps/ 6.7 kw			240V/50Hz/1 ph 30 amps/ 7.2 kw	
	L1, N, G or		L1, N, G		
	includes ground and neutral		includes ground and neutral		
F12G	120V/60Hz/1 ph 5 amps/ 0.6 kw				
Gas Supply:					
F12G	Liquid Propane		or	Natural	l Gas
	50,000 BTUH			50,000	BTUH, 3/4" NPT Supply
				require	d
Options:	Dual 6"conveyors				
	Various loading and discharge arrangements				

Marshall Air Systems, Inc.

419 Peachtree Drive South • Charlotte, North Carolina 28217 USA • Phone: (704) 525-6230 Fax: (704) 525-6229 • www.marshallair.com

Food probe Stand