



Item # \_\_\_\_\_

We put space to work.

Job \_\_\_\_\_

## WIRE SHELVING ACCESSORIES

### Shelf Dividers - For Super Erecta and Super Adjustable Shelves

- Keep shelf contents orderly with these rigid, pressure fit dividers.
- Unique design allows them to attach to the top or underside of wire shelves.


### 8" (203mm) Tall Dividers

| Model No.<br>Chrome | Model No.<br>Metroseal 3<br>with Microban® | Model No.<br>Stainless | Shelf Width<br>(in.) (mm) |     | Approx.<br>Pkd. Wt.<br>(lbs.) (kg) |     |
|---------------------|--|------------------------|---------------------------|-----|------------------------------------|-----|
| DD14C               | DD14K3                                     | DD14S                  | 14                        | 355 | 1.8                                | 0.8 |
| DD18C               | DD18K3                                     | DD18S                  | 18                        | 457 | 2.25                               | 1.0 |
| DD21C               | DD21K3                                     | DD21S                  | 21                        | 530 | 2.5                                | 1.1 |
| DD24C               | DD24K3                                     | DD24S                  | 24                        | 610 | 2.75                               | 1.3 |
| DD30C               |  | DD30S                  | 30                        | 760 | 3.25                               | 1.5 |
| DD36C               |  | DD36S                  | 36                        | 914 | 3.75                               | 1.7 |

Dividers cannot be stacked.  
For OTR applications, additional clamping may be required to keep dividers in place. Consult Metro engineering.




**Shelf Divider for  
Super Erecta Shelves**



### 21" (533mm) Tall Dividers

| Model No.<br>Chrome | Shelf Width<br>(in.) (mm) |     | Approx.<br>Pkd. Wt.<br>(lbs.) (kg) |     |
|---------------------|---------------------------|-----|------------------------------------|-----|
| DD24C-21H           | 24                        | 610 | 5.0                                | 2.3 |

Dividers cannot be stacked.  
For OTR applications, additional clamping may be required to keep dividers in place. Consult Metro engineering.



**Two 21" tall dividers  
One horizontal divider**  
8-5/8" (219mm) space  
between base and bottom  
of top shelf.

### Horizontal Dividers - For use with 24" deep dividers

- Requires two dividers. Mounts across two dividers to form a light duty storage tier. 25lbs (11.3kg) load capacity evenly distributed.
- When used with the 21" (533mm) tall divider — can be positioned at the midpoint or the top of the dividers.
- When used with the 8" (203mm) tall divider — can be positioned at the top of the dividers.

| Model No.<br>Chrome | Shelf Width<br>(in.) (mm) |     | Nominal<br>Length<br>(in.) (mm) |     | Approx.<br>Pkd. Wt.<br>(lbs.) (kg) |     |
|---------------------|---------------------------|-----|---------------------------------|-----|------------------------------------|-----|
| DDH24C-12L          | 24                        | 610 | 12                              | 305 | 2.5                                | 1.1 |
| DDH24C-18L          | 24                        | 610 | 18                              | 457 | 3                                  | 1.4 |

Dividers cannot be stacked. Not intended for heavy duty mobile applications.

All Metro Catalog Sheets are available on our website: [www.metro.com](http://www.metro.com)



**InterMetro Industries Corporation**  
North Washington Street, Wilkes-Barre, PA 18705  
Product Information. U.S. and Canada: 1.800.992.1776  
Outside U.S. and Canada: [www.metro.com/contactus](http://www.metro.com/contactus)

L02-007A  
Printed in U.S.A. 11/19

Information and specifications are subject to  
change without notice. Please confirm at time of order.



Copyright © 2019 InterMetro Industries Corp.



## 1" (25mm) Bin Rail Dividers

- Universal mounting clips attach to wire shelves and MetroMax open grid shelves.
- Bin locator: Designed to create slots for bins and other packages as part of lean Kanban systems.
- Kit consists of (8) chrome plated divider rails and (16) polymer mounting clips.
- Bins: See spec sheet 10.08

| Model No. | Fits Shelf Depth |          | Approx. Pkd. Wt. |      |
|-----------|------------------|----------|------------------|------|
|           | (in.)            | (mm)     | (lbs.)           | (kg) |
| BINRL18   | 18, 21           | 457, 533 | 6.3              | 2.9  |
| BINRL24   | 24               | 610      | 7.8              | 3.5  |




## Shelf Ledges – Side and Back

For stationary or mobile installations, ledges prevent items from protruding or falling from shelves.

### 1" (25mm) High Ledges

| Model No.<br>Chrome | Model No.<br>Stainless | Actual Length                   |      | Approx. Pkd. Wt. |      |
|---------------------|------------------------|---------------------------------|------|------------------|------|
|                     |                        | (in.)                           | (mm) | (lbs.)           | (kg) |
| L14N-1C             | L14N-1S                | 9 <sup>7</sup> / <sub>8</sub>   | 250  | 0.58             | 0.25 |
| L18N-1C             | L18N-1S                | 13 <sup>7</sup> / <sub>8</sub>  | 352  | 0.75             | 0.33 |
| L21N-1C             | L21N-1S                | 16 <sup>7</sup> / <sub>8</sub>  | 428  | 0.75             | 0.33 |
| L24N-1C             | L24N-1S                | 19 <sup>7</sup> / <sub>8</sub>  | 505  | 1.0              | 0.45 |
| L30N-1C             | L30N-1S                | 26 <sup>3</sup> / <sub>16</sub> | 665  | 2.0              | 0.9  |
| L36N-1C             | L36N-1S                | 32 <sup>1</sup> / <sub>2</sub>  | 826  | 2.5              | 1.13 |
| L42N-1C             | L42N-1S                | 38 <sup>1</sup> / <sub>8</sub>  | 968  | 2.75             | 1.25 |
| L48N-1C             | L48N-1S                | 44 <sup>3</sup> / <sub>16</sub> | 1126 | 3.5              | 1.58 |
| L54N-1C             | L54N-1S                | 50 <sup>5</sup> / <sub>16</sub> | 1278 | 4.4              | 1.65 |
| L60N-1C             | L60N-1S                | 56 <sup>3</sup> / <sub>16</sub> | 1427 | 3.75             | 1.68 |
| L72N-1C             | L72N-1S                | 68                              | 1727 | 4.0              | 1.81 |

1" (25mm) ledges are not stackable.  
Ledges may also be used on the interior of a shelf (lengthwise) by attaching directly above a snake truss. Interior snake trusses are found on shelf widths of 21" (530mm) and larger.




1" (25mm) Ledge

### 4" (100mm) High Stackable Ledges

Ledges may be stacked to form an 8" (203mm) or higher barrier.

| Model No.<br>Chrome | Model No.<br>Metroseal 3<br>with Microban® | Model No.<br>Stainless | Shelf Width |      | Approx. Pkd. Wt. |      |
|---------------------|--|------------------------|-------------|------|------------------|------|
|                     |  |                        | (in.)       | (mm) | (lbs.)           | (kg) |
| L14N-4C             | L14N-4K3                                   | L14N-4S                | 14          | 355  | 0.8              | 0.3  |
| L18N-4C             | L18N-4K3                                   | L18N-4S                | 18          | 457  | 1.5              | 0.6  |
| L21N-4C             | L21N-4K3                                   | L21N-4S                | 21          | 530  | 1.7              | 0.7  |
| L24N-4C             | L24N-4K3                                   | L24N-4S                | 24          | 610  | 2.0              | 0.9  |
| L30N-4C             | L30N-4K3                                   | L30N-4S                | 30          | 760  | 2.2              | 1.0  |
| L36N-4C             | L36N-4K3                                   | L36N-4S                | 36          | 914  | 2.7              | 1.2  |
| L42N-4C             | L42N-4K3                                   | L42N-4S                | 42          | 1066 | 3.2              | 1.4  |
| L48N-4C             | L48N-4K3                                   | L48N-4S                | 48          | 1219 | 3.7              | 1.6  |
| L54N-4C             | L54N-4K3                                   | L54N-4S                | 54          | 1370 | 3.8              | 1.7  |
| L60N-4C             | L60N-4K3                                   | L60N-4S                | 60          | 1524 | 4.0              | 1.8  |
| L72N-4C             | L72N-4K3                                   | L72N-4S                | 72          | 1828 | 5.0              | 2.2  |

**Note:** Actual length is approximately 1" (25mm) shorter than nominal shelf length/width.  
Ledges may also be used on the interior of a shelf (lengthwise) by attaching directly above a snake truss. Interior snake trusses are found on shelf widths of 21" (530mm) and larger.



4" (102mm) Ledge

## Snap-On Dividers for Drop Mat Shelves

Organize your shelves with these 8" (203mm) high, easy to snap-in-place dividers.

| Model No.<br>Chrome | Fits<br>Shelf Width |      | Approx.<br>Pkd. Wt. |      |
|---------------------|---------------------|------|---------------------|------|
|                     | (in.)               | (mm) | (lbs.)              | (kg) |
| HD18C               | 18                  | 457  | 2.5                 | 1.1  |
| HD24C               | 24                  | 614  | 3.5                 | 1.6  |



Snap-On Divider

## Super Erecta Slide System (for tote boxes)


Using Super Erecta or Super Adjustable Super Erecta wire units, tote boxes, and these innovative slides, you have the flexibility to create a custom configuration that can be positioned quickly on new or existing units without the use of tools.

| Model No. | Outside Slide Dimensions<br>Height/Width/Length  |             | For Shelf Width<br>(in.) (mm) | Adaptable Boxes                                   | Approx.<br>Pkd. Wt.           |      |
|-----------|--|-------------|-------------------------------|---|-------------------------------|------|
|           | (in.)  | (mm)        |                               |   | (lbs.)                        | (kg) |
| SS2NC     | 10 <sup>1</sup> / <sub>4</sub> x20 <sup>3</sup> / <sub>8</sub> x21 <sup>5</sup> / <sub>8</sub> | 256x510x537 | 24 610                        | TB/MTB93030W,<br>TB/MTB93060W,<br>TB/MTB93080W    | 4 <sup>3</sup> / <sub>4</sub> | 2.1  |
| SS3NC     | 10 <sup>1</sup> / <sub>4</sub> x14x17 <sup>1</sup> / <sub>8</sub>                              | 256x355x430 | 21 530                        | TB/MTB92035W,<br>TB/MTB92060W,<br>TB/MTB92080W    | 3 <sup>1</sup> / <sub>2</sub> | 1.5  |
| SS4NC     | 10 <sup>1</sup> / <sub>4</sub> x25 <sup>1</sup> / <sub>8</sub> x17 <sup>1</sup> / <sub>8</sub> | 256x630x430 | 21 530                        | TB/MTB93030W,*<br>TB/MTB93060W,*<br>TB/MTB93080W* | 4                             | 1.8  |

\*Fits SS4NC with box turned sideways.

**Note:**

SS2NC may also be used on 30" (760mm) and 36" (910mm) width shelves.  
Load ratings: 25 lbs. (11.3kg) max per slide level, not to exceed 50 lbs. (22.6 kg) per slide system.  
These slides do NOT work with 12"x20" (305x508mm) steam table pans or 18"x26" (457x660mm) bun pans.



Super Erecta Slide System in place on shelf (Tote box sold separately)

## Adjustable Undershelf Slides

These slides can be spaced to fit any width container or tote box.

| Model No.<br>(pair) | For Shelf Width<br>(in.) (mm) | Approx.<br>Pkd. Wt.<br>(lbs.) (kg) |
|---------------------|-------------------------------|------------------------------------|
| US18NA              | 18 457                        | 1 0.4                              |
| US21NA              | 21 530                        | 1 0.4                              |
| US24NA              | 24 610                        | 1 0.4                              |

\*Not adaptable to 24" (610mm) long shelf.



Adjustable Undershelf Slide

## Tray Slides

Free up shelves for more efficient use of space. Adaptable slides work with TB93000 and MTB93000 series tote boxes, 12"x20" (305x508mm) steam table pans, or 18"x26" (457x660mm) bun pans. Available in chrome and Metroseal 3 finishes. 22<sup>3</sup>/<sub>4</sub>" H (578mm).

| Model No.<br>Chrome | Model No.<br>Metroseal 3<br>with Microban® | Width<br>(in.) (mm)                | Overall<br>Depth<br>(in.) (mm)   | Slide<br>Profile<br>(in.) (mm)   | On Center<br>Slide<br>Spacing<br>(in.) (mm) | Fits<br>Shelf Width<br>(in.) (mm) | Approx.<br>Weight/Pair<br>(lbs.) (kg) |
|---------------------|--|------------------------------------|----------------------------------|----------------------------------|---|-----------------------------------|---------------------------------------|
| 15SNC               | 15SNK3                                     | 14 <sup>5</sup> / <sub>8</sub> 371 | 2 <sup>1</sup> / <sub>4</sub> 56 | 1 <sup>1</sup> / <sub>2</sub> 37 | 1 <sup>1</sup> / <sub>2</sub> 37            | 18 457                            | 9 <sup>1</sup> / <sub>2</sub> 4.3     |
| 20SNC               | 20SNK3                                     | 20 508                             | 2 <sup>1</sup> / <sub>4</sub> 56 | 1 <sup>1</sup> / <sub>2</sub> 37 | 1 <sup>1</sup> / <sub>2</sub> 37            | 24 610                            | 11 5.0                                |

Load rating: 25 lbs. (11.3kg) max per slide level, not to exceed 50 lbs. (22.6kg) per slide system.  
20SNC / K3 will fit 30" (760mm) and 36" (910mm) shelves.

| Shelf Lengths                    | Tray Slides per Level |
|----------------------------------|-----------------------|
| 24" (610mm) through 42" (1066mm) | 1                     |
| 48" (1219mm)                     | 1 or 2                |
| 60" (1524mm)                     | 2                     |
| 72" (1829mm)                     | 2 or 3                |



Tray Slides



# WIRE SHELVING ACCESSORIES

## Enclosure Panels

An efficient way to enclose space for stationary or mobile applications.

- Can be used with Super Erecta® and Super Adjustable wire shelving, and Super Erecta solid shelving.
- Appropriate mounting hardware supplied with each panel.



Enclosure Panel

## Enclosure Panels for Super Erecta Wire and Solid, Super Adjustable and MetroMax Q Shelving Units

| Model No.<br>Chrome | Model No.<br>Stainless | Width/Height<br>(in.) (mm)                                      |            | For Nominal<br>Post Height<br>(in.) (mm) |      | Grid Opening<br>(in.) (mm)                                    |         | Weight<br>(lbs.) (kg) |     |
|---------------------|------------------------|---|------------|--|------|---|---------|-----------------------|-----|
| EP35C               | EP35S                  | 12 <sup>3</sup> / <sub>8</sub> x 50 <sup>3</sup> / <sub>4</sub> | 313 x 1289 | 54                                       | 1370 | 2 <sup>7</sup> / <sub>8</sub> x 3 <sup>5</sup> / <sub>8</sub> | 73 x 92 | 3                     | 1.4 |
| EP36C               | EP36S                  | 12 <sup>3</sup> / <sub>8</sub> x 59 <sup>3</sup> / <sub>4</sub> | 313 x 1518 | 63                                       | 1600 | 2 <sup>7</sup> / <sub>8</sub> x 3 <sup>5</sup> / <sub>8</sub> | 73 x 92 | 4                     | 1.8 |
| EP37C               | EP37S                  | 12 <sup>3</sup> / <sub>8</sub> x 70 <sup>1</sup> / <sub>2</sub> | 313 x 1791 | 74                                       | 1880 | 2 <sup>7</sup> / <sub>8</sub> x 3 <sup>5</sup> / <sub>8</sub> | 73 x 92 | 6                     | 2.7 |
| EP55C               | EP55S                  | 18 <sup>3</sup> / <sub>8</sub> x 50 <sup>3</sup> / <sub>4</sub> | 464 x 1289 | 54                                       | 1370 | 3 <sup>3</sup> / <sub>8</sub> x 3 <sup>5</sup> / <sub>8</sub> | 86 x 92 | 5                     | 2.3 |
| EP56C               | EP56S                  | 18 <sup>3</sup> / <sub>8</sub> x 59 <sup>3</sup> / <sub>4</sub> | 464 x 1518 | 63                                       | 1600 | 3 <sup>3</sup> / <sub>8</sub> x 3 <sup>5</sup> / <sub>8</sub> | 86 x 92 | 6                     | 2.7 |
| EP57C               | EP57S                  | 18 <sup>3</sup> / <sub>8</sub> x 70 <sup>1</sup> / <sub>2</sub> | 464 x 1791 | 74                                       | 1880 | 3 <sup>3</sup> / <sub>8</sub> x 3 <sup>5</sup> / <sub>8</sub> | 86 x 92 | 7                     | 3.2 |

All panels are 7/8" (22mm) thick.

## Panels Required for Super Erecta Wire and Solid and Super Adjustable Shelving Units

**Ends** — Panels required for each end, as follows:

| Nominal<br>Post Height<br>(in.) (mm) | 18" (457mm)<br>Nominal<br>Shelf Width | 21" (530mm)<br>Nominal<br>Shelf Width | 24" (610mm)<br>Nominal<br>Shelf Width | 30" (760mm)<br>Nominal<br>Shelf Width | 36" (914mm)<br>Nominal<br>Shelf Width |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| 54 1370                              | EP35                                  | EP35                                  | EP55                                  | (2) EP35                              | (1) EP35, (1) EP55                    |
| 63 1600                              | EP36                                  | EP36                                  | EP56                                  | (2) EP36                              | (1) EP36, (1) EP56                    |
| 74 1880                              | EP37                                  | EP37                                  | EP57                                  | (2) EP37                              | (1) EP37, (1) EP57                    |

**Backs** — Require multiple panels as follows:

### WIRE SHELVES

| Nominal<br>Post Height<br>(in.) (mm) | 30" (760mm)<br>Nominal<br>Shelf Length | 36" (914mm)<br>Nominal<br>Shelf Length | 42" (1060mm)<br>Nominal<br>Shelf Length | 48" (1219mm)<br>Nominal<br>Shelf Length | 54" (1370mm)<br>Nominal<br>Shelf Length | 60" (1524mm)<br>Nominal<br>Shelf Length | 72" (1825mm)<br>Nominal<br>Shelf Length |
|--------------------------------------|--|--|---|---|---|---|---|
| 54 1370                              | (2) EP35                               | (1) EP35, (1) EP55                     | (2) EP55                                | (2) EP35, (1) EP55                      | (1) EP35, (2) EP55                      | (3) EP55                                | (1) EP35, (3) EP55                      |
| 63 1600                              | (2) EP36                               | (1) EP36, (1) EP56                     | (2) EP56                                | (2) EP36, (1) EP56                      | (1) EP36, (2) EP56                      | (3) EP56                                | (1) EP36, (3) EP56                      |
| 74 1880                              | (2) EP37                               | (1) EP37, (1) EP57                     | (2) EP57                                | (2) EP37, (1) EP57                      | (1) EP37, (2) EP57                      | (3) EP57                                | (1) EP37, (3) EP57                      |


### SOLID SHELVES

| Nominal<br>Post Height<br>(in.) (mm) | 30" (760mm)<br>Nominal<br>Shelf Length | 36" (914mm)<br>Nominal<br>Shelf Length | 42" (1060mm)<br>Nominal<br>Shelf Length | 48" (1219mm)<br>Nominal<br>Shelf Length | 54" (1370mm)<br>Nominal<br>Shelf Length | 60" (1524mm)<br>Nominal<br>Shelf Length | 72" (1825mm)<br>Nominal<br>Shelf Length |
|--------------------------------------|--|--|---|---|---|---|---|
| 54 1370                              | (1) EP55                               | (2) EP35                               | (1) EP35, (1) EP55                      | (2) EP55                                | —                                       | (1) EP35, (2) EP55                      | —                                       |
| 63 1600                              | (1) EP56                               | (2) EP36                               | (1) EP36, (1) EP56                      | (2) EP56                                | —                                       | (1) EP36, (2) EP56                      | —                                       |
| 74 1880                              | (1) EP57                               | (2) EP37                               | (2) EP37, (1) EP57                      | (2) EP57                                | —                                       | (1) EP37, (2) EP57                      | —                                       |

**Note:** Units with a solid shelf in the top position require the use of a three-sided snake frame directly below it.

## Replacement Mounting Kit for Enclosure Panel


Plated Model No. **9970EPZ**  
Stainless Model No. **9970EPS**



Mounting Kit for Enclosure Panel

## Replacement Clamps

Chrome Model No. **9970Z**  
Stainless Model No. **9970S**  
Bag of 8 clamp assemblies.  
(Available by the bag only)



# WIRE SHELVING ACCESSORIES

## Rods and Tabs


Form side and back enclosures for a shelving unit. Can also serve as uniform dividers within unit by passing through shelves from top to bottom. Recommended spacing: every 6" (150mm) to 12" (305mm), depending upon shelf contents. Plated rods are shipped with 4 plated tabs per rod. Stainless steel rods come with 4 rust-proof tabs.

| Model No. Chrome | Model No. Stainless | Min. Post Height (in.) | Rod Length (in) (mm) |      | Approx. Pkd. Wt. (lbs.) (kg) |     |
|------------------|---------------------|------------------------|----------------------|------|------------------------------|-----|
| R52C             | R52S                | 54                     | 52                   | 1320 | 1                            | 0.5 |
| R61C             | R61S                | 63                     | 61                   | 1549 | 1                            | 0.5 |
| R72C             | R72S                | 74                     | 72                   | 1830 | 1 1/4                        | 0.6 |
| R84C             | R84S                | 86                     | 84                   | 2135 | 1 1/2                        | 0.7 |



## Tabs

Rods are shipped with 4 tabs per rod.



Plated rod with zinc plated tab.

**Additional Plated Tabs —**  
Bag of 12  
Cat. No. 9084Z



Stainless Steel rod with rust-proof tab.

**Additional Rust-Proof Tabs —**  
Bag of 4  
Cat. No. 9084P

## Three-Sided Double Snake Frames

Provide additional support or access to floor with these sturdy square snake frames. Chrome plated and Type 304 Stainless steel options.

| Model No. Chrome | Model No. Stainless | Width/Length (in.) (mm) |          | Approx. Pkd. Wt. (lbs.) (kg) |     |
|------------------|---------------------|-------------------------|----------|------------------------------|-----|
| SF31N3C          | *                   | 18x24                   | 457x610  | 5                            | 2.3 |
| SF32N3C          | *                   | 18x30                   | 457x760  | 6                            | 2.7 |
| SF33N3C          | SF33N3S             | 18x36                   | 457x914  | 6 1/2                        | 2.7 |
| SF34N3C          | *                   | 18x42                   | 457x1066 | 7                            | 3.2 |
| SF35N3C          | SF35N3S             | 18x48                   | 457x1219 | 7 3/4                        | 3.5 |
| SF36N3C          | *                   | 18x60                   | 457x1524 | 8                            | 3.6 |
| SF37N3C          | *                   | 18x72                   | 457x1829 | 9                            | 4.1 |
| SF41N3C          | *                   | 21x24                   | 530x610  | 5                            | 2.3 |
| SF42N3C          | *                   | 21x30                   | 530x760  | 6                            | 2.7 |
| SF43N3C          | *                   | 21x36                   | 530x914  | 6 1/2                        | 2.7 |
| SF44N3C          | *                   | 21x42                   | 530x1066 | 7                            | 3.2 |
| SF45N3C          | *                   | 21x48                   | 530x1219 | 8                            | 3.6 |
| SF46N3C          | *                   | 21x60                   | 530x1524 | 8 1/2                        | 3.8 |
| SF47N3C          | *                   | 21x72                   | 530x1829 | 10                           | 4.5 |
| SF51N3C          | *                   | 24x24                   | 610x610  | 6                            | 2.7 |
| SF52N3C          | *                   | 24x30                   | 610x760  | 7                            | 3.2 |
| SF53N3C          | SF53N3S             | 24x36                   | 610x914  | 7 1/2                        | 3.4 |
| SF54N3C          | *                   | 24x42                   | 610x1066 | 8                            | 3.6 |
| SF55N3C          | SF55N3S             | 24x48                   | 610x1219 | 9                            | 4.1 |
| SF56N3C          | SF56N3S             | 24x60                   | 610x1524 | 10                           | 4.5 |
| SF57N3C          | SF57N3S             | 24x72                   | 610x1829 | 11                           | 5.0 |



**Three-sided Double Snake Frame**