We put space to work.

**\_\_\_\_** 

# PrepMate<sup>™</sup> MultiStation

- **Multi-Functional:** Perform a multitude of tasks in a space saving foot print with a patent pending multi-level work surface design that will make your tasks execute faster and more efficiently than traditional methods.
- Multi-Level: The PrepMate<sup>™</sup> Multi-Rail maximizes your workspace by holding work surfaces above your containers, creating a dynamic system for preparation that will increase your productivity by up to 20%\*
- Multi-Height: Every PrepMate<sup>™</sup> MultiStation is capable of 5 work surface heights (35<sup>1</sup>/<sub>8</sub>" 39<sup>1</sup>/<sub>8</sub>") allowing the work station to be set-up for multiple employee heights and tasks.
- **Mobile:** When space is at a premium, mobility allows for tasks to be done in multiple locations and can save time and labor transporting product.
- Stable: Four Total Lock casters provide a stable work surface by locking both the caster wheel and the hub for maximum stability.
- Flexible: The PrepMate<sup>™</sup> Multi-Rail holds standard 18" Cutting Boards\*\* and Food Pans allowing for fast set-up, execution, clean-up, and change-over.
- Task Specific: Configurable to a multitude of tasks with labor & space saving accessories.
- Easy to Clean: Wipe down and able to be taken apart without tools for sanitation.
- Construction: Based on Metro Super Erecta® commercial grade shelving systems with 1" shelf adjustability, 800lb shelf load capacity, and unlimited configurations.
- Space Saving Design: PrepMate is available in 18"x24", 18"x30", 18"x36", & 18"x48" sizes to fit in the most space constrained environments.
- Application Based: Choose from one of seven pre-configured models based on the needs of your application. Construction options include:
- Solid Stainless Steel Shelves
- Solid Galvanized Steel Shelves
- Super Erecta Pro® Hybrid Removable Mat Shelves
- MetroSeal® 3 Epoxy Coated Wire Shelves
- Brite® Zinc Wire Shelves





## **Patent Pending**



36" PrepMate
Shown with Flat Galvanized
Top Shelf and Wire Bottom Shelf.

All Metro Catalog Sheets are available on our website: www.metro.com



Printed in U.S.A.

L02-213

<sup>\*</sup> Testing completed by Pennsylvania State University Center for Food Innovation.

<sup>\*\*</sup> Cutting Boards up to 181/16" wide

#### **Specifications**


- Multi-Rail Construction:16ga, Type 304 Stainless Steel, Removable without the use of tools, Glass Filled Nylon End Caps
- Shelving Sizes: 18"x24", 18"x30", 18"x36", 18"x48"
- Height Adjustment: 351/8-391/8" in 1" increments
- Caster Construction: 5" Diameter Polyurethane Wheel, 3/8" Threaded Stem, Polyester Horn, Total Lock, NSF
- Load Rating: Multi-Rails: 800lbs per set\*; Shelving: 800lbs each; Casters: 220lbs each; Static System: 800lbs
- \* Multi-Rails are capable of holding 800lbs evenly distributed on an 18"x24" work surface of sufficient strength centered in the unit.



36" PrepMate shown with Solid Stainless Steel Shelves.

## **Preconfigured Model Numbers**

Part #	Width/Length	Shelf Size	Top Shelf	Bottom Shelf	Posts
MS1824-FGFG	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	Solid Galvanized	Solid Galvanized	Chrome Plated
MS1824-FGBR	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	Solid Galvanized	Brite Zinc Wire	Chrome Plated
MS1824-FSFS	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	Solid Stainless Steel	Solid Stainless Steel	Stainless Steel
MS1824-FSNK	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	Solid Stainless Steel	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy
MS1824-BRBR	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	Brite Zinc Wire	Brite Zinc Wire	Chrome Plated
MS1824-PRPR	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	SuperErecta Pro Hybrid Mat	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1824-FSPR	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	Solid Stainless Steel	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1824-NKNK	19.4"x26" (493mm x 660mm)	18"x24" (457mm x 610mm)	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy
MS1830-FGFG	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	Solid Galvanized	Solid Galvanized	Chrome Plated
MS1830-FGBR	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	Solid Galvanized	Brite Zinc Wire	Chrome Plated
MS1830-FSFS	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	Solid Stainless Steel	Solid Stainless Steel	Stainless Steel
MS1830-FSNK	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	Solid Stainless Steel	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy
MS1830-BRBR	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	Brite Zinc Wire	Brite Zinc Wire	Chrome Plated
MS1830-PRPR	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	SuperErecta Pro Hybrid Mat	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1830-FSPR	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	Solid Stainless Steel	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1830-NKNK	19.4"x32" (493mm x 812mm)	18"x30" (457mm x 762mm)	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy
MS1836-FGFG	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	Solid Galvanized	Solid Galvanized	Chrome Plated
MS1836-FGBR	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	Solid Galvanized	Brite Zinc Wire	Chrome Plated
MS1836-FSFS	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	Solid Stainless Steel	Solid Stainless Steel	Stainless Steel
MS1836-FSNK	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	Solid Stainless Steel	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy
MS1836-BRBR	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	Brite Zinc Wire	Brite Zinc Wire	Chrome Plated
MS1836-PRPR	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	SuperErecta Pro Hybrid Mat	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1836-FSPR	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	Solid Stainless Steel	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1836-NKNK	19.4"x38" (493mm x 914mm)	18"x36" (457mm x 914mm)	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy
MS1848-FGFG	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	Solid Galvanized	Solid Galvanized	Chrome Plated
MS1848-FGBR	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	Solid Galvanized	Brite Zinc Wire	Chrome Plated
MS1848-FSFS	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	Solid Stainless Steel	Solid Stainless Steel	Stainless Steel
MS1848-FSNK	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	Solid Stainless Steel	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy
MS1848-BRBR	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	Brite Zinc Wire	Brite Zinc Wire	Chrome Plated
MS1848-PRPR	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	SuperErecta Pro Hybrid Mat	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1848-FSPR	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	Solid Stainless Steel	SuperErecta Pro Hybrid Mat	MetroSeal 3 Epoxy
MS1848-NKNK	19.4"x50" (493mm x 1270mm)	18"x48" (457mm x 1219mm)	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy Wire	MetroSeal 3 Epoxy






#### **Accessories**

- Work Surface Extension: 7" modular solid work surface extension
- Drop-In Extension: 7" modular solid work surface extension for 1/3, 1/6 sized pans
- Cutting Board Holder: End load cutting board holder hold up to (3) 18"x24" cutting boards
- Magic Ring: Holds 1/3 & 1/6 sized pans in the Multi-Rail
- Pan Holder: Holds full size food pans, side loaded
- Knife Holder: Magnetic encased knife holder
- Utensil Bar: Modular stainless bar with 3 hooks
- Stainless Work Surface: Modular stainless steel work surface sized for use in the Multi-Rails (18"x6", 18"x12", 18"x24")
- Cutting Board: White HDPE, NSF cutting board with juice groove on one side (18"x24"x.5")

### **Modular Accessory Sizes**

Work Surface Extensions, Drop-In Extensions, and Utensil Bars:

24" Length Units: (1) 24" Sized Accessories 30" Length Units: (1) 24" Sized Accessories 36" Length Units: (2) 18" Sized Accessories 48" Length Units: (2) 24" Sized Accessories



## ProPack Easy Order Accessory Kits

• **ProPack 1:** Includes: (2) Stainless steel Magic Rings which hold smaller pans within the PrepMate rail. (1) Cutting board holder which mounts to the side of the PrepMate and can hold up to 3 18"x24" cutting boards. (1) Pan holder holds up to three 4" full size pans

Description	Part #
24" PrepMate ProPack 1	MS-PROPACK1-24
30" PrepMate ProPack 1	MS-PROPACK1-30
36" PrepMate ProPack 1	MS-PROPACK1-36
48" PrepMate ProPack 1	MS-PROPACK1-48





18" & 24" Work

Part #	Description	Size	Material
MS-SE18	18" PrepMate Work Surface Extension	7.5"x18" (191mm x 457mm)	Stainless Steel
MS-SE24	24" PrepMate Work Surface Extension	7.5"x24" (191mm x 610mm)	Stainless Steel
MS-DE18	18" PrepMate Drop-In Extension	7.5"x18" (191mm x 457mm)	Stainless Steel
MS-DE24	24" PrepMate Drop-In Extension	7.5"x24" (191mm x 610mm)	Stainless Steel
MS-CBE	PrepMate Cutting Board Holder	18.75"x19.25"x5" (476mm x 489mm x 127mm)	Chrome Plated
MS-RING	PrepMate Magic Ring	7"x13" (178mm x 330mm)	Chrome Plated
MS-SPH	PrepMate Pan Holder	19"x22.5"x16" (483mm x 572mm x 406mm)	Chrome Plated
MS-KNIFE	PrepMate Encased Knife Holder	2"x10"x12" (51mm x 254mm x 305mm)	Stainless Steel
MS-UB18	18" PrepMate Utensil Bar	3"x18" (76mm x 457mm)	Stainless Steel
MS-UB24	24" PrepMate Utensil Bar	3"x24" (76mm x 610mm)	Stainless Steel
MS-SW186	PrepMate Stainless Work Surface (18"x6")	18"x6" (457mm x 152mm)	Stainless Steel
MS-SW1812	PrepMate Stainless Work Surface (18"x12")	18"x12" (457mm x 305mm)	Stainless Steel
MS-SW1824	PrepMate Stainless Work Surface (18"x24")	18"x24" (457mm x 610mm)	Stainless Steel
5PTL-NB	5" Total Lock Caster	5" (127mm)	Polymer
MS-CB1824-w	White Cutting Board with Juice Groove	18"x24"x.5" (457mm x 610mm x 12mm)	HDPE



18" & 24" Drop-in Work Surface Extension



Pan Holder











Stainless Work Surface

18" & 24" Utensil Bar

Magic Ring Cutting Board











an Ali Group Company

