



Item # _____

Job _____



MetroMax Q® Storage System

MetroMax Q® STORAGE SYSTEM with *Microban® Antimicrobial Product Protection

*The MetroMax Q storage system provides the most cleanable and adjustable shelving for all your storage and transport needs. Store safe and store more. MetroMax Q shelf mats have built-in *Microban® antimicrobial product protection. Microban® protects the shelf mats from bacteria, mold, mildew and fungi that cause odors, stains and product degradation.*

- **Quick to assemble:** MetroMax Q assembles in minutes, without tools. Posts have numbered grooves at 1" (25mm) increments. Simply attach the shelf wedge connectors to the posts at the desired shelf locations, insert the posts into a stack of shelves and raise the shelves into position. MetroMax Q's packaging design minimizes the amount of cardboard, making installation, cleanup and disposal easy.
- **Quick to adjust, Maximizing storage capacity:** MetroMax Q's unique corner design allows you to unlock shelves without the need for tools. Simply pull each Corner Lock Release™ to unlock the shelf, relocate the wedge connectors to the new height on the posts, and reposition the shelf.
- **Quick to clean:** Polymer shelf mats lift off the shelf frame for easy cleaning. Shelf mats are divided into 12" (305mm) and 18" (457mm) modules that fit easily into a dishwasher for cleaning. MetroMax Q shelf mats have built-in Microban® antimicrobial product protection. They remain cleaner between cleanings.
- **Quick to adapt:** A wide range of accessories such as dividers, ledges, tote and tray slides and many more allow you to customize MetroMax Q to your exact needs.
- **Quick to move:** MetroMax Q can quickly become mobile by removing the threaded leveling foot and adding any standard MetroMax stem caster.
- **Corrosion resistant, durable:** MetroMax Q polymer shelf mats have a lifetime warranty against rust and corrosion. Posts and shelf frames have a 15 year warranty against rust. Each shelf level can hold 800 lbs. (375kg) per shelf up to 48" (1219mm), 600 lbs. (275kg) per shelf up to 72" (1829mm).



NSF



*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



InterMetro Industries Corporation
North Washington Street
Wilkes-Barre, PA 18705
www.metro.com



9.30



MetroMax Q® STORAGE SYSTEM

Specifications

- **Shelf frames and posts:** Steel with electroplated substrate and highly durable, abrasion-resistant epoxy finish. The adjustable foot is reinforced nylon.
- **Shelf mats:** Injection molded polypropylene with exclusive built-in Microban® antimicrobial product protection.
- **Shelf wedge connector:** Reinforced nylon.
- **Temperature range:** -20°F (-29°C) to 125°F (52°C) continuous use, with intermittent exposure to 200°F (93°C) for cleaning.

• MetroMax Q Shelves *(complete with frame, mat, and wedge connectors)*

| Cat. No. | Width/Length | | Approx. Pkd. Wt. | |
|----------|--------------|----------|------------------|------|
| | (in.) | (mm) | (lbs.) | (kg) |
| Q1824G2 | 18x24 | 457x610 | 10 | 4.5 |
| Q1830G2 | 18x30 | 457x760 | 11 | 5.0 |
| Q1836G2 | 18x36 | 457x914 | 12 | 5.4 |
| Q1842G2 | 18x42 | 457x1066 | 14 | 6.2 |
| Q1848G2 | 18x48 | 457x1219 | 16 | 7.3 |
| Q1854G2 | 18x54 | 457x1370 | 18 | 8.2 |
| Q1860G2 | 18x60 | 457x1524 | 20 | 9.1 |
| Q1872G2 | 18x72 | 457x1829 | 23 | 10.4 |

| Cat. No. | Width/Length | | Approx. Pkd. Wt. | |
|----------|--------------|----------|------------------|------|
| | (in.) | (mm) | (lbs.) | (kg) |
| Q2424G2 | 24x24 | 610x610 | 11 | 5.0 |
| Q2430G2 | 24x30 | 610x760 | 14 | 6.2 |
| Q2436G2 | 24x36 | 610x914 | 15 | 6.8 |
| Q2442G2 | 24x42 | 610x1066 | 17 | 7.6 |
| Q2448G2 | 24x48 | 610x1219 | 19 | 8.6 |
| Q2454G2 | 24x54 | 610x1370 | 21 | 9.5 |
| Q2460G2 | 24x60 | 610x1524 | 23 | 10.4 |
| Q2472G2 | 24x72 | 610x1829 | 29 | 13.2 |

| Cat. No. | Width/Length | | Approx. Pkd. Wt. | |
|----------|--------------|----------|------------------|------|
| | (in.) | (mm) | (lbs.) | (kg) |
| Q2124G2 | 21x24 | 530x610 | 10.5 | 4.8 |
| Q2130G2 | 21x30 | 530x760 | 12.5 | 5.7 |
| Q2136G2 | 21x36 | 530x914 | 13.5 | 6.1 |
| Q2142G2 | 21x42 | 530x1066 | 15.5 | 7.0 |
| Q2148G2 | 21x48 | 530x1219 | 17.5 | 7.9 |
| Q2154G2 | 21x54 | 530x1370 | 19.5 | 8.8 |
| Q2160G2 | 21x60 | 530x1524 | 21.5 | 9.8 |
| Q2172G2 | 21x72 | 530x1829 | 26.0 | 11.8 |

• MetroMax Q Grid Mat Kits for upgrade or replacement of existing mats *(with built-in Microban antimicrobial product protection)*

| Cat. No. | Width/Length | | Cat. No. | Width/Length | | Cat. No. | Width/Length | |
|----------|--------------|----------|----------|--------------|----------|----------|--------------|----------|
| | (in.) | (mm) | | (in.) | (mm) | | (in.) | (mm) |
| QM1824G2 | 18x24 | 457x610 | QM2124G2 | 21x24 | 530x610 | QM2424G2 | 24x24 | 610x610 |
| QM1830G2 | 18x30 | 457x760 | QM2130G2 | 21x30 | 530x760 | QM2430G2 | 24x30 | 610x760 |
| QM1836G2 | 18x36 | 457x914 | QM2136G2 | 21x36 | 530x914 | QM2436G2 | 24x36 | 610x914 |
| QM1842G2 | 18x42 | 457x1066 | QM2142G2 | 21x42 | 530x1066 | QM2442G2 | 24x42 | 610x1066 |
| QM1848G2 | 18x48 | 457x1219 | QM2148G2 | 21x48 | 530x1219 | QM2448G2 | 24x48 | 610x1219 |
| QM1854G2 | 18x54 | 457x1370 | QM2154G2 | 21x54 | 530x1370 | QM2454G2 | 24x54 | 610x1370 |
| QM1860G2 | 18x60 | 457x1524 | QM2160G2 | 21x60 | 530x1524 | QM2460G2 | 24x60 | 610x1524 |
| QM1872G2 | 18x72 | 457x1829 | QM2172G2 | 21x72 | 530x1829 | QM2472G2 | 24x72 | 610x1825 |

• MetroMax Q Posts

Stationary

| Cat. No. | Width/Length | | Approx. Pkd. Wt. | |
|----------|--------------|------|------------------|------|
| | (in.) | (mm) | (lbs.) | (kg) |
| Q13PE | 13 | 370 | .5 | .2 |
| Q27PE | 27 | 686 | .8 | .36 |
| Q33PE | 33 | 875 | 1.0 | .45 |
| Q54PE | 54 | 1370 | 1.5 | .7 |
| Q63PE | 63 | 1585 | 2.0 | .9 |
| Q74PE | 74 | 1880 | 2.25 | 1.0 |
| Q86PE | 86 | 2195 | 2.5 | 1.2 |

Mobile

| Cat. No. | Width/Length | | Approx. Pkd. Wt. | |
|----------|--------------|------|------------------|------|
| | (in.) | (mm) | (lbs.) | (kg) |
| Q13UPE | 13 | 370 | .5 | .2 |
| Q27UPE | 27 | 686 | .8 | .36 |
| Q33UPE | 33 | 875 | 1.0 | .45 |
| Q54UPE | 54 | 1370 | 1.5 | .7 |
| Q63UPE | 63 | 1585 | 2.0 | .9 |
| Q74UPE | 74 | 1880 | 2.25 | 1.0 |
| Q86UPE | 86 | 2195 | 3 | 1.2 |



MetroMax Q Wedge Connector
Included with each shelf or shelf frame. Bag of 4.
Cat. No. Q9985

MetroMax Q[®] STORAGE SYSTEM



Posts are numbered at 1" (25mm) intervals.



Wedge connector attaches easily to post.



Shelf fits tightly over wedge connector.



Corner Lock Release™ pulls out easily to unlock shelf for repositioning.




Open-grid shelf mats remove quickly for cleaning.



Shelf mat sections fit in the dishwasher for easy, thorough cleaning.

MetroMax Q[®] Accessories



Shelf Divider



Shelf Ledges




Label Holder



Tray Drying Rack

Job _____

MetroMax Q® STORAGE SYSTEM



- **“S” Hook:** Used to “add on” one or multiple MetroMax Q storage systems while eliminating the cost of two posts per unit. Can be used to join units end-to-end, back-to-back, at right angles, etc. Two “S” hooks are required for each shelf.

Cat. No. Q9995Z



- **Post Clamp:** Adds stability by joining posts of two separate units together. With it, each unit is supported by four posts and buttressed by the adjacent unit.

Cat. No. 9994X



- **Stem Casters:**

A variety of stem casters are offered for MetroMax Q mobile applications.

See Catalog Sheet 11.20 for stem casters.



- **Foot Plate:** Used when units are to be bolted to the floor or, without bolts, when a broader foot is desired.

Cat. No. 9993Z

All Metro Catalog Sheets are available on our Web Site: www.metro.com



InterMetro Industries Corporation

North Washington Street, Wilkes-Barre, PA 18705
Phone: 570-825-2741 • Fax: 570-825-2852

For Product Information Call: 1-800-433-2232

L03-143
Printed in U.S.A. Rev. 1/06

Information and specifications are subject to change without notice. Please confirm at time of order.

Copyright © 2006 InterMetro Industries Corp.