

HEAVY-DUTY TABLES



HEAVY-DUTY



COLLABORATIVE



ADJUSTABLE





HEAVY-DUTY TABLE VARIATIONS



The **NPS Heavy Duty Table** is ideal for any makerspace environment. The 16-Gauge apron and 14-Gauge legs make this table virtually indestructible. Available with either fixed or adjustable height legs. Adjustable legs can be raised in 1" increments and are locked firmly in place with 2 K-9 external tooth lock washers and heavy duty tamper-free hex screws. All legs come standard with simple-adjust glides and have a caster option for easy mobility. **Play. Work. Study.**




PERSONAL LAB TABLE WITH STEEL FRAME
PATENTED
INNOVATIVE ENGINEERING AND DESIGN



Tabletops



Standard High Pressure Laminate
.75" particleboard core
HPL Surface | T-molding (H)



Supreme High Pressure Laminate
1.2" MDF core
HPL Surface | Protect Edge (S)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
| PVC Edge Banding (W)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding (C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges (P)




Trespa
.75" Cellulose Core
Designer Beveled Edges (T)




Epoxy
1" Solid Epoxy
Designer Beveled Edges (E)



Butcherblock
1.75" Solid Maple Wood
Proprietary UV Finish (B)
See back for warranty, finish options and care instructions.



Stainless Steel Safety Return
1.75" Particleboard Core
Grade 304 Stainless Steel Top (STRET)
See back for more info and care instructions.




Stainless Steel Straight Return
1.75" Particleboard Core
Grade 304 Stainless Steel Top (ST)
See back for more info and care instructions.

Table Sizes

Width Options

18" 24" 30" 36" 42" 48"



Length Options

24" 30" 36" 42" 48" 54" 60" 72" 84" 96"



Leg Construction

Fixed Height Legs:



28.5"
Additional height with
tabletop thickness

Adjustable Height Legs:



21.25" - 36.25"
Additional height with
tabletop thickness

Standard Features



Corner Brackets
Bolted Onto Frame



Dual-Side Leg
Connection



Welded 12-Gauge
Leg Top Plate



Adjustable Legs
Adjust in 1"
Increments



11-Gauge Welded
Support Brackets



16-Gauge
Channel Frame



Leveling Glides
Can Add up to 3/4"
Height to Table



Legs Built with
1-1/2" Square Tubing
14 Gauge Thickness

[View our Laminate and Edge Design Options](#)

Optional Accessories

Casters

3" Heavy-Duty Casters



- 4 Heavy Duty Swivel Locking Casters
- Increases the Table Height by 3¼"
- A Set of Gussets Is Included With Casters



Corner Gussets



- 13-Gauge Steel
- Tamper-Free Hardware
- All tables wider than 30", longer than 72" will include a set of gussets
- Recommended When Using Tables Above 30" High

Peg Boards

Available for 24" and 30" Tables



- Two 16-Gauge Industrial Grade Peg Boards Included in Each Set
- Variety Set of 50 7-Gauge Chromed Pegs Included With Each Peg Board Set
- Holes Spaced 1" Apart
- Assembled With Tamper-Free Self-Tapping Screws



Frame# Description

HDT3	Heavy Duty Table, Height Adjustable, Textured Black
HDT7	Heavy Duty Table, Fixed Height Legs, Textured Black
HDT8	Heavy Duty Table, Height Adjustable, Soft Grey
HDT9	Heavy Duty Table, Fixed Height Legs, Soft Grey

Size (Width/Length in inches)

1824	1830	1836	1842	1848	1854	1860	1872	1884	1896
2424	2430	2436	2442	2448	2454	2460	2472	2484	2496
3030	3036	3042	3048	3054	3060	3072	3084	3096	
3636	3642	3648	3654	3660	3672	3684	3696		
4242	4248	4254	4260	4272	4284	4296			
4848	4854	4860	4872	4884	4896				

- Quick ship tables available, choose from tops B, W, and H with grey nebula laminate
- Quick ship tables available with top S with grey nebula laminate only
- Quick ship tables available with top B only

Standard lead time is 8 weeks. Quick ship lead time is 7 days.

Top Description/Edge

B	1.75" Solid Maple Butcherblock/UV Finish
W	1.25" Whiteboard/PVC Edge Banding
H	.75" Standard High Pressure Laminate with T-Mold
S	1.25" Supreme High Pressure Laminate with Protect Edge
C	1" Chem-Res/3mm Edge Banding
P	.75" Solid Phenolic/Beveled Edge
T	.75" Solid Trespa/Beveled Edge
E	1" Solid Epoxy/Beveled Edge
STRET	1.75" Stainless Steel with Safety Return Edge
ST	1.75" Stainless Steel with Straight Edge

Using Epoxy tables in mobile applications with casters voids the warranty.

Frame Color Options



Textured Black



Soft Grey

Model Number Configuration

Model Number	Size	Color (if applicable)
HDT3	2448	H GY
Frame Number	Top	

All tables wider than 30", longer than 72", or with Epoxy/Trespa/Stainless Steel tabletops will include a set of gussets

Accessories Model Number Configuration

Core Model #	Model#	Description
CAST-3	CAST-	4 heavy duty casters and gusset
Frame #	PEG24-	2 Peg boards with 50 Pegs for 24"W Tables
	PEG30-	2 Peg boards with 50 Pegs for 30"W Tables

(for example, "3" should be used for accessories used for table frame # HDT3)

Standard Edges *No minimum required*



Vinyl T-Molding | Black (TM)



Protect Edge | Black (PE)



3MM PVC Edge Banding | Black (EB)

Premium Edges *Subject to minimum quantity and upcharge*

VINYL T-MOLD



Navy (TN)



Green (TG)



Red (TR)



Brown (TO)



Beige (TB)



Silver (TS)



Medium Grey (TE)



Light Grey (TL)

PROTECT EDGE



Navy (PN)



Green (PG)



Red (PR)



Purple (PP)



Orange (PO)



Beige (PB)



Dark Grey (PD)



Medium Grey (PM)



Light Grey (PL)

3MM PVC EDGE BANDING



Navy (EN)



Green (EG)



Red (ER)



Purple (EP)



White (EW)



Beige (EE)



Dark Grey (ED)



Medium Grey (EM)



Light Grey (EL)

In Demand Laminate Collection No minimum required

WA: Wilsonart F: Formica



Our In Demand Collection features a curated selection of laminate colors available from both Wilsonart and Formica, offering close matches across brands. Choosing from this collection helps streamline the manufacturing process, requires no minimum order, and ensures a more robust, reliable supply chain for your laminate selection.



Pure White

Similar to:
WA: Designer White (DW)
F: Brite White (ZW)



Ivory White

Similar to:
WA: Frosty White (FW)
F: Dover White (DO)



Vintage White

Similar to:
WA: Linen (LI)
F: Mission White (MS)



Classic Almond

Similar to:
WA: Natural Almond (NA)
F: Almond (AA)



Mist Grey

Similar to:
WA: Dove Grey (DG)
F: Platinum (QL)



Stormcloud

Similar to:
WA: North Sea (GF)
F: Mouse (OU)



Grey Noise

Similar to:
WA: Grey Nebula (GY)
F: Gray Grafix (GX)



Shadowstone

Similar to:
WA: Slate Grey (SG)
F: Graphite (GI)



Black

Similar to:
WA: Black (BK)
F: Black (BK)



Real Blue

Similar to:
WA: Persian Blue (BL)
F: Spectrum Blue (SB)



Deep Ocean

Similar to:
WA: Indigo (GF)
F: Navy Blue (NB)



Natural Maple

Similar to:
WA: Limber Maple (LM)
F: Sand Maple (ZM)



Highland Maple

Similar to:
WA: Manitoba Maple (MT)
F: Hard Rock Maple (HQ)



Blonde Timber

Similar to:
WA: Beigewood (BW)
F: Wood Brushstroke (WQ)



Atelier Teak

Similar to:
WA: Studio Teak (SE)
F: Gallery Teak (GK)



Espresso Brown

Similar to:
WA: Coffee Bean (CB)
F: Dark Chocolate (DK)

Formica Standard Laminates No minimum required



Ashwood Bone
AH



Weathered Ash
ED



Silver Riftwood
SI



Black Riftwood
BR



Cream Softwood
CJ



Danish Maple
DA



Taupe Walnut
DY



Planked Urban Oak
PU



Formal Walnut
FQ



Clove Spice Cherry
CX



Buff Elm
BM



Camel Elm
CM



Graphite Elm
EG



Swede Rift Oak
WE



Scandi Rift Oak
RO



Cherry Walnut
YC



Pecan Walnut
QW



Sand Maple
ZM



Finnish Oak
FK



Millennium Oak
MK



Wild Cherry
WI

Formica Standard Laminates

No minimum required

						
Gallery Teak GK	Acajou Mahogany AC	Prestige Walnut PQ	Aluminum AU	Stainless LS	Blackened Steel BS	Starched Paperfold SP
						
Origami Paperfold OR	Washi Paperfold PD	Pale Brushstroke QB	Wood Brushstroke WQ	Earthenware Brushstroke EB	Carrara Bianco ZC	Neo Cloud UD
						
Patine Concrete QO	Folkstone Celesta YF	Gray Grafix GX	Stone Grafix SX	Graphite Grafix ZG	White Twill WW	Neutral Twill NU
						
Graphite Twill WG	Cotton Cloth TT	Woolen Cloth WK	Glass Cloth GL	Sheer Fabric SQ	Muslin Fabric MF	Gray Fabric QF
						
Chambray Fabric ZF	White WF	Brite White ZW	Dover White DO	Mission White MS	Almond AA	Pumice QP
						
Oyster Gray OY	Platinum QL	Fog FG	Mouse OU	Otter OE	Earth YE	Dark Chocolate DK
						
Storm SJ	Graphite GI	Black BK	Blush BQ	Stop Red RD	New Burgundy BU	Vibrant Green VN
						
Spectrum Green QG	Jadeite JA	Green Slate GS	Clementine CQ	Gold Braze GB	Chrome Yellow YL	Liquid Glass LQ
						
Fossil FZ	Winter Sky SY	Denim DN	Spectrum Blue SB	Navy Blue NB	Cassis XS	Purple Dye PY

Wilsoanrt Standard Laminates

No minimum required

						
Robin RN	Port PO	Regimental Red RR	Hollyberry RE	Candy Apple CD	Dragon Fire DF	Orange Grove OG
						
Hunter Green GR	Ocean OC	Cornflower FF	Persian Blue BL	Lapis Blue LB	Catalina CI	Indigo IN
						
Gumball GM	Concord Grape CG	Graphite Nebula GN	Asian Night AN	Rustic Slate RS	Forged Steel FS	Figured Mahogany MY
						
Windsor Mahogany WM	Lowell Ash LA	Burnished Chestnut CT	Buka Bark KB	River Cherry RC	Nepal Teak NT	Wild Cherry CH
						
Bannister Oak OK	Castle Oak CO	Limber Maple LM	Kensington Maple KS	Fusion Maple FM	Manitoba Maple MT	Almond Leather AL
						
Boardwalk Oak BD	Steel Mesh SL	Slate Grey SG	Mystic Night MN	Pewter Brush PB	Windswept Pewter WP	Twilight Zephyr TZ
						
Sheer Mesh SM	Crisp Linen CL	High Rise HR	Frosty White FW	White Sand WS	Titanium EV EV	Carbon Ev CE
						
Evening Tigris ET	Bronze Legacy BZ	Pearl Soapstone PS	Grey Glace GG	Grey Nebula GY	Platinum PL	Fashion Grey GF
						
White Nebula WN	White Tigris TW	Grey RG	Grey Pampas PP	Designer White DW	Blackbird CK	Black BK

Wilsoanrt Standard Laminates

No minimum required



Maroochy Brush
MB



Sunny Side Up
UP



Island
IS



Fresh Cut
FE



Atlantis
AT



Brittany Blue
BB



Woolamai Brush
WO



Navy Legacy
NL



Coffee Bean
CB



Montana Walnut
WT



Windswept Bronze
WZ



Pinnacle Walnut
PN



Fonthill Pear
FP



Harvest Maple
HM



New Age Oak
NW



Monticello Maple
MP



Natural Almond
NA



Neutral Glace
GC



Desert Zephyr
DZ



Natural Tigris
NG



Earthen Warp
EW



Pewter Mesh
PW



Green Tigris
GT



Dove Grey
DG



Tailored Linen
TA



North Sea
NS



Pressed Linen
LN



Cloud Nebula
CN

Premium Laminates

Minimum Quantity, Upcharge and 10 week lead time apply



Marmalade
ML



Quince
QN



Wheat Berry
BY



Kale Leaf
KL



Blue Curacao
CR



Biltmore Cherry
BC



Williamsburg Cherry
WC




Xanadu
XD



Skyline Walnut
SW



Charcoal Velvet
CV



Andora Shadow
AW



White Cypress
CY



White Driftwood
WD



Grey Elm
GE



Portico Teak
PT



Italian Silver Ash
IA



Cosmic Strandz
CS



Ink Vesta
IV



Gold Alchemy
GA



Whiteboard
WB

**IF YOU DON'T
SEE A LAMINATE,
JUST ASK!**

Choose any laminates from:

May be subject to minimum quantity and upcharge





ELEVATE ANY SPACE WITH PERSONALIZED DESIGNS!

Upcharge and extended lead times apply

Customize Your Surface with a Laminate
Design Inspired by **YOUR LOGO**



JUST SEND US
A LOGO FILE
(or any image of your Logo)



Butcherblock Finishing Options

Limited Warranty: Since Natural Wood Products rely heavily on the care they receive, Butcherblock Tabletops have One Year Warranty. The rest of the parts of the product still carry a Ten Year Warranty.

STANDARD



Urethane-Based Satin Finish

Code: BB

CORE MATERIAL
Solid Hard Maple Edge Grain Top

FINISH
Proprietary Urethane-Based Satin Finish

EDGE
Long Edge Beveled • Square Ends

THICKNESS
1.75"

FOOD SAFE
Yes

MAINTENANCE
Recommended to re-finish every 2-3 weeks depending on usage.
Refinishing can be done fairly quickly using a rag and Emmet's Good Stuff Gel Urethane



CUSTOM



Varnique Semi-Gloss Finish

Code: BV

Upcharge and Extended Lead Time apply

CORE MATERIAL
Solid Hard Maple Edge Grain Top

FINISH
Natural Penetrating Oil Finish

EDGE
Long Edge Beveled • Square Ends

THICKNESS
1.75"

FOOD SAFE
Yes

MAINTENANCE
Recommended to re-finish every 3-4 weeks depending on usage.
Refinishing can be done fairly quickly using a rag and Boos® EZ-DO Finish



Stainless Steel Tabletop Edge Styles

NSF


SAFETY RETURN

Code: STRET



Stainless Steel Top


1/2" Safety Return



Particleboard Core


STRAIGHT EDGE

Code: ST



Stainless Steel Top

Straight Edge



Particleboard Core

SURFACE SPECIFICATIONS

- Heavy-Duty 16GA Thickness
- Grade 304: High Nickel Content Type 300 Stainless Steel, #4 Polish
- 1/4" Radius on All Top Edges & Vertical Corners
- 1-3/8" Thick Particle Board Underlayment with Melamine Backing

MAINTENANCE

WARNING

Stainless steel resists corrosion due to a thin, invisible film created by its 12%-30% chromium content. However, if this film is damaged or scratched, the steel can corrode. Factors like chlorides in cleaners, water, food particles, and salt can weaken the film. Proper maintenance and cleaning are essential to preserve the film and ensure the equipment's durability.

Cleaning Instructions



Use the proper tools, clean water, and non-chloride cleaning solutions to clean dirty stainless steel surfaces. Avoid letting liquids, food particles, dirt, or any other debris sit on the stainless steel for extended periods. Refrain from using chlorine bleach, but if it is used, rinse thoroughly with water right away and dry the surface with a soft, clean towel. Always clean and wipe along the direction of the stainless steel's polish lines.

Restoring and Polishing Your Stainless Steel Tabletop



It is recommended to use a stainless steel cleaner specifically designed to polish and restore stainless steel surfaces. Choose a natural, food-safe formula that is suitable for all stainless steel surfaces used in food preparation.

Always clean and wipe in the direction of the polish lines to maintain its smooth finish and prevent scratches.

