

SERVING THE FOOD INDUSTRY SINCE 1951

## CASTERS


**WIRE SHELF CASTER**



14460

14461

**PLATFORM CART CASTER**



13114

13115

**STOCKING CART CASTER**



13116

13117

43568

41681

**UTILITY CART CASTER**



13120

13121

**BUN PAN RACK CASTER**



39533

39534

28637

31431

**WORK TABLE CASTER**



14395

Actual product may not be exactly as shown.

**180 DAYS LIMITED WARRANTY**



Authorized Dealer

# STORAGE SOLUTION CASTERS



## WIRE SHELF CASTERS

ITEM	DESCRIPTION	COMPATIBLE OMCAN ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
14460	Industrial wheel for wire shelf posts. Zinc plated iron body, polypropylene	Epoxy & Chrome stock shelves	80 kg./ 176 lbs	5" Dia., 1" thick	✗	Not recommended for freezers
14461	Industrial wheel for wire shelf posts. Zinc plated iron body with polypropylene wheel	Epoxy & Chrome stock shelves	80 kg./ 176 lbs	5" Dia., 1" thick	✓	Not recommended for freezers

## PLATFORM CART CASTERS

ITEM	DESCRIPTION	COMPATIBLE OMCAN ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
13114	Platform/stocking cart fixed wheel, polypropylene	13066, 23634	272 kg./ 600 lbs.	6" Dia., 2" thick	✗	Mounting plate: 4.5" x 4"
13115	Platform/stocking cart rotating wheel, polypropylene	13066, 23634	272 kg./ 600 lbs.	6" Dia., 2" thick	✗	Mounting plate: 4.5" x 4"
43581	6" wheel, polypropylene and polyurethane	24035	250 kg/ 551 lbs	6" Dia. 2" think	✗	-
43582	8" wheel, polypropylene and polyurethane	24035	250 kg/ 551 lbs	8" Dia. 2" think	✗	-

## STOCKING CART CASTERS

ITEM	DESCRIPTION	COMPATIBLE OMCAN ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
13116	Stocking cart fixed wheel	13067, 13118, 23731, 31277, 31433, 31434	113 kg./ 250 lbs	5" Dia., 1.25" thick	✗	Mounting plate: 4" x 3"
13117	Stocking cart rotating wheel	13067, 13118, 23731, 31277, 31433, 31434	113 kg./ 250 lbs	5" Dia., 1.25" thick	✗	Mounting plate: 4" x 3"
43568	Solid top stocking cart fixed wheel, Polypropylene	13118, 23731, 31277	110 kg./ 242.5 lbs	5" Dia., 1.5" thick	✗	Mounting plate: 4" x 3"
43577	Stocking cart fixed wheel, polypropylene and polyurethane	13067, 23705, 31433, 31434	75 kg./ 165 lbs.	5" Dia., 1.25" thick	✗	-
43578	Rotating wheel, polypropylene	13067, 23705, 31433, 31434, 27771, 23775, 23776, 24223	75 kg./ 165 lbs.	5" Dia., 1.25" thick	✗	-
43580	Fixed wheel, polypropylene	23634	75 kg./ 165 lbs.	6" Dia., 2" thick	✗	-
43579	Rotating wheel, polypropylene	23634	75 kg./ 165 lbs.	6" Dia., 2" thick	✗	-

**OMCAN INC.**

Telephone: 1-800-465-0234  
 Fax: (905) 607-0234  
 Email: sales@omcan.com  
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



# STORAGE SOLUTION CASTERS



## UTILITY CART CASTERS

ITEM	DESCRIPTION	COMPATIBLE OMCAN ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
13120	Utility cart rotating black wheel, polypropylene and polyurethane	39247, 23861	50 kg./ 110 lbs	4"Dia., 1.25" thick	✗	Mounting plate: 4" x 3"
13121	Utility cart red wheel, polypropylene and polyurethane	39247, 23861	250 kg./ 551 lbs	6" Dia., 2" thick	✗	-

## WORK TABLE CASTERS

ITEM	DESCRIPTION	COMPATIBLE OMCAN ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
14395	Polyurethane wheel. Iron made frame and bracket	Work tables	80 kg./ 176 lbs	5" Dia., 1.25" thick	✓	Also fit equipment stands

## PAN/ LUG/ CAN RACK CASTERS

ITEM	DESCRIPTION	COMPATIBLE OMCAN ITEMS	MAX LOADING CAPACITY (ea.)	SIZE	BRAKES	ADDITIONAL INFO
39534	Heavy-duty wheel with brake	All of the aluminum pan/ lug racks	50 kg./ 110 lbs	5" Dia., 1.25" thick	✓	-
39533	Heavy-duty wheel without brake, polypropylene and polyurethane	All of the aluminum pan/ lug racks	50 kg./ 110 lbs	5" Dia., 1.25" thick	✗	-
28637	Middle-duty wheel, set of 4	All of the stainless steel pan racks	120 kg/ 264.6 lbs (Set)	5" Dia., 1.25" thick	✓ 2 w/ brakes ✗ 2 w/o brake	-
31431	Light-duty wheel, set of 4	22125, 22126, 22127, 27052, 13500, 22128, 27053, 13504, 13505, 27054, 13506	-	4.75" Dia., 1" thick	✓ 2 w/ brakes ✗ 2 w/o brake	-
45336	Lug rack wheel, polypropylene and polyurethane	13493, 13495, 13498	50 kg./ 110 lbs	5" Dia., 1.25" thick	✗	-
31753	Can rack wheel with brake, polypropylene and polyurethane	27769, 27770	50 kg./ 110 lbs	5" Dia., 1.25" thick	✓	-
31754	Can rack wheel without brake, polypropylene and polyurethane	27769, 27770	50 kg./ 110 lbs	5" Dia., 1.25" thick	✗	-

## HEATED PROOFER CASTER

ITEM	DESCRIPTION	COMPATIBLE OMCAN ITEMS	MAX LOADING CAPACITY	SIZE	BRAKES	ADDITIONAL INFO
43583	Heated proofer rotating wheels, polypropylene and polyurethane	31834	50 kg./ 110 lbs	5" Dia., 1.25" thick	✓	-

## OMCAN INC.

Telephone: 1-800-465-0234  
 Fax: (905) 607-0234  
 Email: sales@omcan.com  
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

