

Tel.: +49 8191 327-2563

Fax: +49 8191 327-72 2563

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2019 Reviewed on 12/10/2019

1 Identification

- · Product identifier
- · Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning
- · **Article number:** 9006.0153
- · Application of the substance / the mixture Alkaline cleaner / detergent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

RATIONAL AG

Siegfried-Meister-Straße 1 86899 Landsberg am Lech

Germany

- · Information department: Product management
- · Emergency telephone number: Hotline: +49 (0) 6132-84463

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Potassium hydroxide

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 1)

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

- · Classification system
- · NFPA ratings (scale 0-4)



Health = 3 Fire = 0

Reactivity = 0

· HMIS



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: aqueous solution

· Dangerous co	omponents:	
1310-58-3	Potassium hydroxide	≥5-≤10%
	♦♦ Met. Corr.1, H290; Skin Corr. 1A, H314; ♦♦ Acute Tox. 4, H302	
	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	≥1-<2.5%
	谷 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302; Skin Irrit. 2, H315	
	Amines, C10-16-alkyldimethyl, N-oxides	≥0.25-<1%
	Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315	

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information

Personal protection for the First Aider.

Immediately remove any clothing contaminated by the product.

· After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 2)

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do.

Protect unharmed eye.

Call a doctor immediately.

· After swallowing

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Do not induce vomiting - danger of perforation!

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam

- · For safety reasons unsuitable extinguishing agents None
- \cdot Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Sulphur oxides (SOx)

Carbon monoxide and carbon dioxide

- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

(Contd. on page 4)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 3)

Send for recovery or disposal in suitable receptacles.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
1310-58-3	Potassium hydroxide	0.18 mg/m ³
· PAC-2:		
1310-58-3	Potassium hydroxide	2 mg/m ³
· PAC-3:		
1310-58-3	Potassium hydroxide	54 mg/m ³

7 Handling and storage

- · Handling
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Prevent formation of aerosols.

Do not inhale aerosols.

Avoid skin and eye contact under any circumstances.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in the original container.

Observe all local and national regulations for storage of water polluting products.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store under lock and key and out of the reach of children.

Store and transport upright.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 5)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 4)

1310-58-3 Potassium hydroxide

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

- · Breathing equipment: Use suitable respiratory protective device only when aerosol or mist is formed.
- · Recommended filter device for short term use: Filter type: A2
- · Protection of hands:

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

e.g. KCL Dermatril® 740

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Penetration time: ≥ 8 hours

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles.
- · Body protection:

Protective work clothing.

Body protection must be chosen depending on activity and possible exposure.

· Limitation and supervision of exposure into the environment

Do not allow to enter sewers/surface or ground water.

US

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: fluid Color: Red

Odor: characteristicOdor threshold: Not determined.

• pH-value (10 g/l) at 20 °C (68 °F): 11.9

· Change in condition

Melting point/Melting range: undetermined Boiling point/Boiling range: ~ 100 °C (~212 °F)

· Flash point: Not applicable

· Flammability (solid, gaseous) Not applicable.

· **Ignition temperature**: Not applicable

• **Decomposition temperature:** Not determined.

• **Auto igniting:** Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

• Oxidizing properties not classified as oxidising

· Vapor pressure: Not determined.

• **Density at 20 °C (68 °F):** 1.11 g/cm³ (9.263 lbs/gal)

Relative density
 Vapour density (AIR = 1)
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Fully miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

dynamic: Not determined. **kinematic:** Not determined.

Organic solvents: 0 %

· Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 6)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions

Corrosive action on metals

Strong exothermic reaction with acids

- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Strong oxidizing agents

Strong acids

· Hazardous decomposition products:

Nitrogen oxides (NOx)

Sulfur oxides (SOx)

Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC	· LD/LC50 values that are relevant for classification:			
1310-5	1310-58-3 Potassium hydroxide			
Oral	LD50	284 mg/kg (rat)		
Amines	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			
Oral	LD50	1064 mg/kg (rat)		
Dermal	LD50	> 2000 mg/kg (rat)		

- · Primary irritant effect:
- · on the skin: Strong corrosive effect on skin and mucous membranes.
- · on the eye: Strong corrosive effect.
- · **Sensitization**: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of Regulation (EC) No. 1272/2008 (CLP/GHS):

Skin corr. 1A

Eve Dam. 1

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 7)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· I oxicity	
· Aquatic toxi	city:
1310-58-3	Potassium hydroxide
LC50/96 h	80 mg/l (gambusia affinis)
Amines, C12	2-14 (even numbered)-alkyldimethyl, N-oxides
LC50/96 h	3.46 mg/I (fis)
EC50	3.1 mg/l (daphnia)
IC50	0.143 mg/l (seagrass)
EC50/72 h	0.266 mg/l (algae)
NOEC	0.067 mg/l (seagrass)
70592-80-2	2 Amines, C10-16-alkyldimethyl, N-oxides

LC50/96 h 1.01 mg/l (daphnia)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) N° 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (Self-assessment) (German regulation): slightly hazardous for water.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

US

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 8)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to local/official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to local/official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

-1 4 -				-	4 *
4	rans	nori	- In	orma	rion
	I GIII O			OI III G	

					_
- 1	Ш	N-	N	ıım	ber

· DOT, ADR, IMDG, IATA UN1814

· UN proper shipping name

· **DOT** Potassium hydroxide, solution

· ADR UN1814 POTASSIUM HYDROXIDE SOLUTION

· IMDG, IATA POTASSIUM HYDROXIDE SOLUTION

· Transport hazard class(es)

· DOT



· Class 8 Corrosive substances

· Label 8

· ADR



· Class 8 (C5) Corrosive substances

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances

· Label 8

· Packing group

· DOT, ADR, IMDG, IATA

(Contd. on page 10)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

	(Contd. of pa
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Transport in bulk according to Annex I	l of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
Excepted quantities (EQ)	Code: E2
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
 · IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
, 4 , -,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act)

7732-18-5 Water

1310-58-3 Potassium hydroxide

· Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

· Prop 65 - Chemicals known to cause developmental toxicity

None of the ingredients is listed.

(Contd. on page 11)

Printing date 12/10/2019 Reviewed on 12/10/2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 10)

- · Cancerogenity categories
- MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

- · National regulations
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Water hazard class:

Water hazard class 1 (Self-assessment) (German regulation): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

Observe restrictions on the marketing and use according to Annex XVII of Regulation (EC) No 1907/2006.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Chemical Regulatory Compliance Company Telephone: +1 (630) 410-1660

Chicago, IL e-Mail: GHS@crc-us.com
USA Website: www.crc-us.com

· Date of preparation / last revision 12/10/2019 / 1

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

 \cdot * Data compared to the previous version altered.