

THERMOMETERS



Maintaining proper operating and serving temperatures are key components in creating a safe and enjoyable dining experience for guests. Regulate temperature with ease and accuracy with San Jamar's Pro MZR line of thermometers. Whether monitoring cold storage temperatures, or ensuring food quality and consistency, our thermometers provide unsurpassed value and will be a chef-favored tool in any kitchen, for every application.

INSTANT READ DIAL THERMOMETER NSF

DISHWASHER SAFE | SHATTERPROOF LENS

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLF THDLF2 THDLC	0°F–220°F (-17°C–104°C)	Probe: 5" (127 mm) Dial: 1" (25 mm)	THDLF - Fahrenheit THDLF2 - 2 pack, Fahrenheit THDLC - Celsius	Analog



THDLF

INSTANT READ LARGE DIAL THERMOMETER NSF

HIGHLY-VISIBLE ANALOG DISPLAY | SHATTERPROOF LENS | MAGNIFIED DIAL | PROTECTIVE ANTIMICROBIAL SHEATH

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLLD	0°F–220°F (-10°C–100°C)	Probe: 5" (127 mm) Dial: 1.75" (44 mm)	Fahrenheit, Celsius	Analog



INSTANT READ BEVERAGE THERMOMETER NSF

DISHWASHER SAFE | OPTIMAL TEMPERATURE RANGE INDICATED ON DIAL | VESSEL CLIP FOR HANDS FREE USE | EASY TO READ SHATTERPROOF DIAL

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLBEV	0°F–220°F (-10°C–100°C)	Probe: 5" (127 mm) Dial: 1.75" (44 mm)	Fahrenheit, Celsius	Analog



DEEP FRY/CANDY THERMOMETER

DISHWASHER SAFE | STAINLESS STEEL VESSEL CLIP | HEAT RESISTANT HANDLE | PROTECTIVE STORAGE SHEATH

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLCDF	100°F–450°F (40°C–200°C)	1.5" x 0.88" x 8.5" (38 mm x 22 mm x 216 mm)	Fahrenheit, Celsius	Analog



DIAL REFRIGERATOR/FREEZER THERMOMETER NSF

DISHWASHER SAFE | EASY READ DIAL | SAFE OPERATING TEMPS INDICATED ON DIAL | STAND OR HANGING OPTION

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLRFSS	-20°F–70°F (-30°C–20°C)	Dial: 2.9" (74 mm)	Fahrenheit, Celsius	Analog



REFRIGERATOR/FREEZER THERMOMETER NSF

SAFE OPERATING TEMPS INDICATED ON BAR | SHATTERPROOF LENS | MAGNIFIED FACE | SUCTION CUP OR HANGING OPTION

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLRFG	-40°F–80°F (-40°C–27°C)	4.75" x 1.25" x 0.75" (121 mm x 32 mm x 19 mm)	Fahrenheit, Celsius	Analog



OVEN THERMOMETER NSF

OVEN SAFE | HACCP HOT FOOD HANDLING TEMP REMINDERS | EASY-READ DIAL

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDLOV	40°F–500°F (10°C–260°C)	2.4" (61 mm)	Fahrenheit, Celsius	Analog



GOURMET DIGITAL THERMOMETER NSF

SMOOTH COMFORT GRIP HANDLE | STAINLESS STEEL PROBE | SHEATH AND POCKET CLIP | BATTERIES INCLUDED

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGBK (Black) THDGBL (Blue)	-49°F–392°F (-45°C–200°C)	Probe: 4.75" (121 mm)	Fahrenheit, Celsius	Digital



THDGBL

DIGITAL PROBE THERMOMETER

OVEN-SAFE 40" CORD | STAINLESS STEEL PROBE | MAGNETIC AND KICKSTAND DISPLAY | BATTERIES INCLUDED

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGP	32°F–392°F (0°C–200°C)	Probe: 7" (178 mm) Display: 3.25" x 2.25" x 0.5" (83 mm x 57 mm x 13 mm)	Fahrenheit, Celsius	Digital



DIGITAL REFRIGERATOR/FREEZER THERMOMETER

LARGE, EASY TO READ DISPLAY | MAGNET | KICKSTAND OR HANGING DISPLAY | BATTERIES INCLUDED

ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGRF	-4°F–122°F (-20°C–50°C)	2.75" x 1.75" x 0.5" (70 mm x 44 mm x 13 mm)	Fahrenheit, Celsius	Digital



ADVANCED DIGITAL THERMOMETER

BACK-LIGHT DISPLAY	WATER RESISTANT	DISPLAY HOLD	MIN AND MAX TEMP RECALL	PROTECTIVE SHEATH
ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGA	-45°F–392°F (-45°C–200°C)	Probe: 2.88" (73 mm)	Fahrenheit, Celsius	Digital



DIGITAL PEN THERMOMETER NSF

STAINLESS STEEL PROBE	SHEATH DOUBLES AS EXTENDED HANDLE	DISPLAY HOLD	BATTERIES INCLUDED	
ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGPN	32°F–392°F (0°C–200°C)	Probe: 3" (76.2 mm)	Fahrenheit, Celsius	Digital



TOUCH SCREEN THERMOMETER & TIMER

LARGE TOUCH SCREEN DISPLAY	40" OVEN SAFE CORD	CUSTOM ALERT TONE	MAGNETIC OR KICKSTAND DISPLAY	BATTERIES INCLUDED
ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGTMTS	-4°F–482°F (-20°C–250°C)	Probe: 7.3" (185 mm) Display: 3" x 3" x 1" (76 mm x 76 mm x 25 mm)	Fahrenheit, Celsius	Digital



DIGITAL POCKET THERMOMETER NSF

ANTI-ROLL DESIGN	PREMIUM STAINLESS STEEL PROBE	POCKET CLIP		
ITEM	TEMP RATING	DIMENSIONS	UNITS	DIGITAL/ANALOG
THDGPCKT	-40°F–392°F (-40°C–200°C)	Probe: 4.75" (121 mm)	Fahrenheit, Celsius	Digital



San Jamar
555 Koopman Lane
Elkhorn, Wisconsin 53121
USA
T: +1.262.723.6133
F: +1.262.723.4204
info@sanjamar.com
www.sanjamar.com

Canada
15252 32nd Avenue
Suite 309
Surrey, BC V3S 0R7
CANADA
T: +1.262.723.6133
F: +1.262.723.4204
canada@sanjamar.com

Europe
Schoorstraat 26a, bus 1
2220 Heist op-den Berg
BELGIUM
T: +32 15 22 81 40
F: +32 15 22 81 48
emea@sanjamar.com

México
Av. Paseo de la Reforma No. 350 - 10
Col. Juárez
Deleg. Cuauhtemoc, CP 06600
MEXICO, D.F.
T: +52 (55) 3626 0772
mexico@sanjamar.com

 **san jamar**
smart. safe. sanitary.