

GENERAL CATALOG

FOODSERVICE & RETAIL • MOBILE



zümex®
LIFE ESSENCE



We are pleased to introduce the new ZUMEX General Catalog exclusively for the USA and Canada. Not only is it a catalog displaying our juicers but it is a commitment from all of us to continue to provide you with all the tools and pertinent information you may need regarding our juicers.

After years in the USA, we have established a knowledgeable and dynamic team. Zumex has experienced tremendous growth in the North American market, which has enabled us to move to a new facility which is triple the size of our previous location. In other words, we realize our growth moving forward will be in this competitive market and we are prepared to make the necessary investments to make sure we accomplish our goals.

Herein you will find our catalog. It was done with our customers in mind, because in the end, all the technology, experience and design of ZUMEX in essence pursues one goal, the total satisfaction of your clients, users and of yourself. This is what we call "Life Essence".

The design and attention we put into the detail of our juicers, make our equipment the best and most attractive solution to meet the needs of our customers and users.

Sincerely,

Victor Bertolin
C.E.O., ZUMEX GROUP.



With its design, size and its twelve available colors, it fits perfectly in any location and is ideal for small bars and cafes that are committed to excellence.

Minex provides maximum performance in minimum space in an elegant and integrated way. Its design blends seamlessly into your business aesthetics.

In only 5 seconds you will enjoy a fresh squeezed glass of juice.



Grey



Orange



Green



White



Graphite Metallic



Silver Metallic



Bronze Metallic



Light Blue



Light Green



Ruby Red



Black



Blue

PRODUCT HIGHLIGHTS

- Small in size.
- Simple operation "Push Button".
- Display and orange counter.
- 2 operating modes:
 - Self service tap to serve in a glass.
 - Integrated jar.
- Integrated peel bucket.
- Easy to disassemble.
- 12 colors including 3 metallic finished.
- For moderate consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 13 oranges/min.

Feeder capacity: 6/7 oranges.

Fruit Size: 100 - 113 ct. cs. (70 mm - 78 mm)

Dimensions (LxWxH): 365 mm x 360 mm x 720 mm (14.3" x 14" x 28")

Net Weight: 19 kg. (47 lb.)

Power: 0.06 HP

Consumption: 0.044 kw / 0.45 Amps.

Voltage: Multitension 100-240 V / 50-60 Hz

Waterproof Specification: IPX0

Safety: 3 detectors and electronic protection.

Jar Capacity: 25.3 FL OZ (750 mL)

ACCESSORIES

Minex Color Kit:

Customize your Minex. Choose the practical kit to change its color and adapt it to your aesthetics.



ESSENTIAL PRO



Essential in any bar or coffee shop with an average juice demand, where the simplicity of operation is utmost importance. With an intuitive digital display you can configure the operation mode to adapt it to your work style and offer the best freshly squeezed juice.



Essential Pro Silver



Essential Pro Orange



Essential Pro Graphite

PRODUCT HIGHLIGHTS

- Very functional and easy to use.
- Intuitive “Touch Control” digital display.
- Total and partial fruit counter.
- Language settings (23 languages)
- 2 Operating modes:
 - ▀ Self-service mode: by pressing the tap, machine squeezes citrus juice into a glass or jar in a matter of seconds.
 - ▀ Autostart mode: the juicer starts automatically squeezing when you introduce the fruits in the chute. Locking the knob will activate the tap for continuous operation.
- Self Service anti-drip tap with lock for use in continuous operation.
- Integrated Peel buckets.
- Three colors available, including two with metallic finish.
- For moderate/medium consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 22/min.
Feeder capacity: 4/5 fruits.
Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)
Dimensions (LxWxH): 470 mm x 500 mm x 750 mm (18½" x 19.7" x 29½")
Net Weight: 45.75 kg. (99 lb.)
Power: 0.43 HP
Consumption: 0.28 kw / 2.7 Amps
Voltage: 115 V / 60 Hz
Waterproof Specification: IPX4
Safety: Double magnetic safety detectors and electronic motor protection.

ACCESSORIES



D65 Squeezing Kit:
Designed to squeeze smaller size fruit (ie. small oranges, tangerines, lemons, limes.) Diameters below 65 mm and down to 45 mm. Easy installation and disassembly.



Dynamic cutting System DCS:
Suitable for processing only soft or very ripe citrus. The blade moves up to help the cutting of the fruit.



Elevation Kit:
Very practical set of risers to elevate the machine for counter top easy cleaning.



Counter Top Kit:
Adheres the machine to the counter top improving waste management with an integrated solution.

The Versatile Pro is a must in places where there is demand for juice. Its feeder is integrated and allows the machine to be completely autonomous and more efficient. Thanks to an intuitive digital display, you can configure the operation mode to suit your working style.



Versatile Pro Silver

Versatile Pro Orange

Versatile Pro Graphite

PRODUCT HIGHLIGHTS

- Functional and easy to use.
- Integrated high capacity hopper.
- Intuitive "Touch Control" digital display.
- Total and partial fruit counter.
- Language settings (23 languages)
- 2 Operating modes:
 - Self-service mode: by pressing the tap, machine squeezes citrus juice into a glass or jar in a matter of seconds.
 - Professional mode: program and squeeze the desired number of fruits to be squeezed. Locking the knob will activate the tap for continuous operation.
- Self Service anti-drip tap with lock for use in continuous operation.
- Integrated Peel buckets.
- Three colors available, including two with metallic finish.
- For medium consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 22/min.

Hopper capacity: 10 kg (22 lb)

Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)

Dimensions (LxWxH): 470 mm x 550 mm x 850 mm (18½" x 21.6" x 33½")

(with podium LxWxH: 475 mm x 550 mm x 1650 mm / 18¾" x 21.6" x 65")

Net weight: 54 kg. (119 lb); (with podium 87 kg. / 192 lb.)

Power: 0.43 HP

Consumption: 0.28 kw / 2.7 Amps

Voltage: 115 V / 60 Hz

Waterproof specification: IPX4

Safety: Double magnetic safety detectors and electronic motor protection.

ACCESSORIES



D65 Squeezing Kit:

Designed to squeeze smaller size fruit (ie. small oranges, tangerines, lemons, limes.) Diameters below 65 mm and down to 45 mm. Easy installation and disassembly.



Dynamic cutting System DCS:

Suitable for processing only soft or very ripe citrus. The blade moves up to help the cutting of the fruit.



Elevation Kit:

Very practical set of risers to elevate the machine for counter top easy cleaning.



Counter Top Kit:

Adheres the machine to the counter top improving waste management with an integrated solution.



Podium:

With an attractive design and lightweight materials, it extends the possibilities of your equipment. Transportable podium that also allows you to increase waste capacity and facilitates waste removal with a handy waste basket with wheels.

VERSATILE PRO PODIUM



*An integrated wheeled waste basket.

Extend the capability of Versatile with a podium that allows you to increase waste capacity and facilitates waste removal with a handy waste basket with wheels.



Versatile Podium Pro Silver




Versatile Podium Pro Orange



Versatile Podium Pro Graphite

PRODUCT HIGHLIGHTS

- Complete autonomy and maximum functionality.
- Integrated high capacity hopper.
- Ideal for self-service outlets and small supermarkets.
- Elegantly designed mobile podium with an integrated wheeled waste basket.
- Intuitive "Touch Control" digital display.
- Total and partial fruit counter.
- Language settings (23 languages)
- 2 Operating modes:
 - Self-service mode: by pressing the tap, machine squeezes citrus juice into a glass or jar in a matter of seconds.
 - Professional mode: program and squeeze the desired number of fruits to be squeezed. Locking the knob will activate the tap for continuous operation.
- Self Service anti-drip tap with lock for use in continuous operation.
- Integrated Peel buckets.
- Three colors available, including two with metallic finish.
- For medium/high consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 22/min.

Hopper capacity: 10 kg (22 lb)

Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)

Dimensions (LxWxH): 470 mm x 550 mm x 850 mm (18½" x 21.6" x 33½")
(with podium LxWxH: 475 mm x 550 mm x 1650 mm / 18¾" x 21.6" x 65")

Net weight: 54 kg (119 lb.); (with podium 87 kg. / 192 lb.)

Power: 0.43 HP

Consumption: 0.28 kw / 2.7 Amps

Voltage: 115 V / 60 Hz

Waterproof specification: IPX4

Safety: Double magnetic safety detectors and electronic motor protection.

ACCESSORIES



D65 Squeezing Kit:

Designed to squeeze smaller size fruit (ie. small oranges, tangerines, lemons, limes.) Diameters below 65 mm and down to 45 mm. Easy installation and disassembly.



Dynamic Cutting System DCS:

Suitable for processing only soft or very ripe citrus. The blade moves up to help the cutting of the fruit.



Bottle Rack:

Ideal for self-service applications, where the need to dispense bottles, jars or glasses is necessary. Includes three trays (4 level height adjustable). When installed, it is integrated into the podium.

The Speed family range of juicers includes the most powerful and fastest juicers offered by Zumex. Its 5 models are specially designed for places where high juice production is needed, such as supermarkets, convenience stores, buffets, restaurants, supermarkets and mass catering. It is a strong, powerful and durable machine with classic design, ideal to meet high juice demands.

PRODUCT HIGHLIGHTS

• ZUMEX SPEED TANK PODIUM:

Equipped with 5-liter (1.32 gal.) transparent tank for freshly squeezed juice. It includes a waste bin that increases its waste capacity and autonomy. Speed Tank Podium is available in Standard and Digital models.



Digital model allows you to program the desired number of fruits to be squeezed and a fruit counter.

• For high consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 38/min.

Hopper capacity: 15 kg. (33 lb.)

Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)

Dimensions (LxWxH): 580 mm x 720 mm x 1760 mm
(22.8" x 28 3/4" x 69.3")

Net weight: 101 kg. (223 lb.)

Power: 0.43 HP

Consumption: 0.28 kw / 2.7 Amps

Voltage: 115 V / 60 Hz

Waterproof specification: IPX4

Safety: Double magnetic safety detectors and electronic motor protection.



Zumex Speed Tank Podium

SPEED

zumex®
LIFE ESSENCE



PRODUCT HIGHLIGHTS

• ZUMEX SPEED COOLER PODIUM:

The best solution to provide chilled freshly squeezed juice. Cooler unit with temperature regulation and 7 litre (1.85 gal.) tank, with an incorporated level detector. Stainless steel podium with wheels and large capacity waste bucket. Perfect for large retail and foodservice businesses.

- For high consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 38/min.

Hopper capacity: 15 kg. (33 lb.)

Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)

Dimensions (LxWxH): 680 mm x 740 mm x 1850 mm. (26¾" x 29.1" x 72.8")

Net weight: 115 kg. (254 lb.)

Power: 0.43 HP

Consumption: 0.28 kw / 2.7 Amps

Voltage: 115 V / 60 Hz

Waterproof specification: IPX4

Safety: Double magnetic safety detectors and electronic motor protection.



PRODUCT HIGHLIGHTS

• ZUMEX SPEED SELF-SERVICE PODIUM:

All the advantages of the Self Service model but with more functionalities. Its stainless steel podium allows the mobility of the whole unit. It includes a waste bin that increases its waste capacity and autonomy. This model is specially recommended for supermarkets, convenience stores, service plazas or any type of large outlets.

- For high consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 38/min.

Hopper capacity: 15 kg. (33 lb.)

Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)

Dimensions (LxWxH): 640 mm x 700 mm x 1040 mm (25" x 27½" x 41") (with podium LxWxH 680 mm x 720 mm x 1760 mm / 26¾" x 28¾" x 69.3")

Net weight: 62 kg. (137 lb.) (with podium: 104 kg. / 229 lb.)

Power: 0.43 HP

Consumption: 0.28 kw / 2.7 Amps

Voltage: 115 V / 60 Hz

Waterproof specification: IPX4

Safety: Double magnetic safety detectors and electronic motor protection.



PRODUCT HIGHLIGHTS

• ZUMEX SPEED:

This is the basic model, perfect for high demand locations. ZUMEX Speed basic is available in Standard and Digital models. ZUMEX Digital model allows you to program the desired number of fruits to be squeezed and a fruit counter.

• For high consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 38/min.

Hopper capacity: 15 kg. (33 lb.)

Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)

Dimensions (LxWxH): 640 mm x 620 mm x 990 mm (25" x 24.4" x 39")

Net weight: 60 kg (132 lb.)

Power: 0.43 HP

Consumption: 0.28 kw / 2.7 Amps

Voltage: 115 V / 60 Hz

Waterproof specification: IPX4

Safety: Double magnetic safety detectors and electronic motor protection.



PRODUCT HIGHLIGHTS

• ZUMEX SPEED SELF-SERVICE:

Particularly suitable in places where consumers directly operate the machine; hotel buffets, service areas, etc. With its self-service tap, the squeezing system is activated automatically.

• For high consumption.



TECHNICAL CHARACTERISTICS

Fruits per minute: 38/min.

Hopper capacity: 15 kg. (33 lb.)

Fruit Size: 100 - 113 ct. cs. (70 mm - 81 mm)

Dimensions (LxWxH): 640 mm x 700 mm x 1040 mm (25" x 27½" x 41")
(with podium LxWxH 680 mm x 720 mm x 1760 mm / 26¾" x 28¾" x 69.3")

Net weight: 62 kg. (137 lb.) (with podium: 104 kg. / 229 lb.)

Power: 0.43 HP

Consumption: 0.28 kw / 2.7 Amps

Voltage: 115 V / 60 Hz

Waterproof specification: IPX4

Safety: Double magnetic safety detectors and electronic motor protection.

ACCESSORIES



D65 Squeezing Kit:

Designed to squeeze smaller size fruit (ie. small oranges, tangerines, lemons, limes.) Diameters below 65 mm and down to 45 mm. Easy installation and disassembly.



Dynamic cutting System DCS:

Suitable for processing only soft or very ripe citrus. The blade moves up to help the cutting of the fruit.



ZUMEX Display:

Practical displays made of stainless steel to place the juice bottles on ice. Available in two sizes.



Bottle Rack(*):

Ideal for self-service applications, where the need to dispense bottles, jars or glasses is necessary. Includes three trays (4 level height adjustable). When installed, it is integrated into the podium.



Self-Service tray kit(*):

Front tray kit attaches to the podium to adapt juicer machine to self-service operations.



Counter Top Kit (**):

Adheres the machine to the counter top, improving waste management with an integrated solution.

(*) Only models with podium.

(**) Only models without podium.



MULTIFRUIT

zumex®
LIFE ESSENCE

Multifruit combines functionality, technology, performance and design. Behind its attractive design, there is a powerful engine with three innovative operating systems that make it a high performance juicer. Its ease of use and broad appeal makes it the best juicer in the market.



Multifruit Silver



Multifruit Black



Multifruit White

PRODUCT HIGHLIGHTS

- Latest generation engine with three operating systems:
 - **Progressive Electronic Start System** engine starts intelligently.
 - **Electronic Brake System** which stops the engine immediately.
 - **Speed Control System** keeps the maximum speed regardless of fruit and vegetables.
- **The most efficient:** A juice in just 5 seconds, higher yield and with the least amount of fruits.
- **Very silent.** Less than 70 dB.
- **Anti-vibration "Silent Block" System.**
- **Triple safety sensor.**
- **Control with "stand-by" LED and two gear selector.**
- **Wide fruit inlet (75 mm / 3").**
- **Ergonomic pusher.**
- **Anti-drip rotating faucet.**
- **Removable coaster.**
- **Filter and grating disc removable without tools.**
- **Integrated large capacity. 13 l. (3.43 gal.) waste bucket.**

TECHNICAL CHARACTERISTICS

Output: (264 ½ lb/hr); (½ gal/min)

Speed: 3.500 / 4.500 r.p.m.

Dimensions (LxWxH): 293 mm x 502 mm x 513 mm. (11½" x 19¾" x 20.2")

Net weight: 15 kg. (33 lb.)

Power: 1.17 HP

Consumption: 1.8 Amps

Nominal Power: 700 W. - 870 W

Waterproof specification: IPX1

Sound pressure level: Less than 70 dB

Safety: Dual safety micro switch on handle and waste bucket

Magnetic detector on waste bucket

Thermal Protector.





MOBILE



Consumers appreciate the benefits of freshly squeezed juice. Anytime, anywhere.

An eye-catching and practical mobile point of sale to easily transport to the event of your choice. Ideal for theme parks, shopping malls, sport events, concerts, festivals, stadiums, schools...



PRODUCT HIGHLIGHTS

- Strong, durable and sleek design.
- Attractive and functional.
- Easy transportation.
- Opening through hydraulic system with safety mechanism.
- Electric control board and interior lighting.
- Built-in sink with flexible hose and spray nozzle.
- It can be connected to water and sewage systems, or completely self-contained with a refillable reservoir.
- Built-in Isothermal cooler for maintaining fruit, ice and beverages.

TECHNICAL CHARACTERISTICS

Material: made of polyester with reinforced fiberglass.

Counter: 41 cm

Dimensions: 220 cm x 230 cm (86.6" x 90 ½") closed;
220 cm x 284 cm (86.6" x 111.8") open.

Weight without machine: 375 Kg. (826 ½ lb.)

Weight with machine: 440 Kg. (970 lb.)

Water Tank Capacity: 25 l. (6 ½ gal)

Wastewater Tank Capacity: 85 l. (22 ½ gal)

Total maximum electrical capacity: 3.3 Kw

Consumption: 4 Amps (Mobile & Juicer)

Waste basket: 30 kg (66 lb.)

Compatible Juicers: Essential Pro, Versatile Pro, Speed, Speed Digital and Speed Self-Service.





ACCESSORIES



SQUEEZING SYSTEM

D65 Squeezing Kit:

Available for Essential, Versatile and Speed models. Designed to squeeze smaller size fruit (ie. small oranges, tangerines, lemons, limes.) Diameters below 65 mm and down to 45 mm. Easy installation and disassembly.

Dynamic cutting System DCS:

Suitable for processing only soft or very ripe citrus. The blade moves up to help the cutting of the fruit.



Model: KIT D65 ESSENTIAL PRO



Model: KIT D65 VERSATILE PRO



Model: KIT D65 SPEED



Model: DYNAMIC CUTTING SYSTEM

COUNTER TOP

Counter Top Kit:

Adheres the machine to the countertop, improving waste management with an integrated solution.

Elevation Kit:

Very practical set of risers to elevate the machine for countertop easy cleaning.




Model: COUNTER TOP KIT
ESS/VERS ORANGE



Model: COUNTER TOP KIT
ESS/VERS SILVER



Model: COUNTER TOP KIT
ESS/VERS GRAPHITE



Model: COUNTER TOP KIT SPEED



Model: ELEVATION KIT ESS/VERS

PODIUM

Podium Versatile:

With an attractive design and lightweight materials, it extends the possibilities of your equipment. Transportable podium that also allows you to increase waste capacity and facilitates waste removal with a handy waste basket with wheels.



Model: PODIUM VERSATILE
ORANGE



Model: PODIUM VERSATILE
SILVER



Model: PODIUM VERSATILE
GRAPHITE

Podium Speed:

Podium Available for Speed Self-Service and Speed Tank. ZUMEX Stainless steel (AISI 304) podium allows the mobility of the whole unit. It includes a waste bin that increases its waste capacity and autonomy.



Model: **PODIUM SPEED SELF-SERVICE**
(with height-adjustable base for bottles)



Model: **PODIUM SPEED TANK**

JUICE POINT OF SALE

Bottle Rack:

Ideal for self-service applications, where the need to dispense bottles, jars or glasses is necessary. Includes three trays (4 level height adjustable). When installed, it is integrated into the podium.

Ergonomic: The user will reach easily the bottles or cups.

Multiple combinations, fully adaptable to the needs of each application.

Easy installation for all ZUMEX models with podium.

The **holder tray** is designed to hold glasses of juice. It is adaptable to the bottle rack. (Not included with the standard bottle rack).

Self-Service tray kit:

Front tray kit attaches to the podium to adapt juicer machine to self-service operations.

Display:

Practical displays made of stainless steel to place the bottles on ice. Available in two sizes.




Model: **BOTTLE RACK KIT
VERSATILE & BOTTLE RACK
KIT SPEED** (includes 3 trays)



Model: **BOTTLE TRAY**



Model: **GLASS TRAY**



Model: **SPEED SELF-SERVICE TRAY KIT**



Model: **ZUMEX DISPLAY SMALL**
(Includes drainage system)



Model: **ZUMEX DISPLAY LARGE**
(Includes drainage system)

ACCESSORIES



Minex Color Kit:

Customize your Minex. Choose the practical kit to change its color and adapt it to your aesthetics.



Model: COLOR KIT WHITE



Model: COLOR KIT RUBY RED



Model: COLOR KIT GREEN



Model: COLOR KIT BLUE



Model: COLOR KIT SILVER METALLIC



Model: COLOR KIT GRAPHITE METALLIC



Model: COLOR KIT BRONZE METALLIC



Model: COLOR KIT BLACK



Model: COLOR KIT ORANGE



Model: COLOR KIT LIGHT GREEN



Model: COLOR KIT LIGHT BLUE



Model: COLOR KIT GREY



REFERENCES



FOODSERVICE & RETAIL · MOBILE

MINEX		[ZUMEX AUTOMATIC JUICERS]
MODEL	REFERENCE	
Zumex Minex White	34.0014.0016	
Zumex Minex Ruby Red	34.0024.0016	
Zumex Minex Green	34.0034.0016	
Zumex Minex Blue	34.0044.0016	
Zumex Minex Silver	34.0054.0016	
Zumex Minex Graphite	34.0064.0016	
Zumex Minex Bronze	34.0074.0016	
Zumex Minex Black	34.0084.0016	
Zumex Minex Orange	34.0094.0016	
Zumex Minex Light Green	34.0104.0016	
Zumex Minex Light Blue	34.0114.0016	
Zumex Minex Grey	34.0124.0016	
ESSENTIAL PRO		[ZUMEX AUTOMATIC JUICERS]
MODEL	REFERENCE	
Zumex Essential Pro Orange	33.5602.0000	
Zumex Essential Pro Silver	33.5612.0000	
Zumex Essential Pro Graphite	33.5622.0000	
VERSATILE PRO		[ZUMEX AUTOMATIC JUICERS]
MODEL	REFERENCE	
Zumex Versatile Pro Orange	33.6502.0000	
Zumex Versatile Pro Silver	33.6512.0000	
Zumex Versatile Pro Graphite	33.6522.0000	
Zumex Versatile Podium Orange	43.6502.0000	
Zumex Versatile Podium Silver	43.6512.0000	
Zumex Versatile Podium Graphite	43.6522.0000	
SPEED		[ZUMEX AUTOMATIC JUICERS]
MODEL	REFERENCE	
Zumex Speed	33.0202.0200	
Zumex Speed Digital	33.0222.0200	
Zumex Speed Self-service	33.0712.0300	
Zumex Speed Tank Podium	43.0302.0200	
Zumex Speed Tank Digital Podium	43.0332.0200	
Zumex Speed Self-service Podium	43.0702.0300	
Zumex Speed Cooler Podium	43.0902.0200	
MULTIFRUIT		[MULTIFRUIT JUICERS]
MODEL	REFERENCE	
Zumex Multifruit Led Silver	32.0102.0000	
Zumex Multifruit Led Black	32.0202.0000	
Zumex Multifruit Led White	32.0302.0000	
MOBILE		[MOBILE]
MODEL	REFERENCE	
Zumex Mobile Essential/Versatile Ready (juicer not included)	33.920.002	
Zumex Mobile Speed Ready (juicer not included)	33.926.002	

ACCESSORIES

SQUEEZING SYSTEM [ACCESSORIES]

MODEL	REFERENCE
Kit D65 Essential Pro	33.038.000
Kit D65 Versatile Pro	33.028.000
Kit D65 Speed	33.029.000
Dynamic Cutting System	13.153.000

COUNTER TOP [ACCESSORIES]

MODEL	REFERENCE
Counter top Kit Ess/Vers Orange	33.0908.000
Counter top Kit Ess/Vers Silver	33.0909.000
Counter top Kit Ess/Vers Graphite	33.0910.000
Counter top Kit Speed	33.909.000
Elevation Kit Ess/Vers	33.0049.000

PODIUM [ACCESSORIES]

MODEL	REFERENCE
Podium Versatile Orange	33.912.000
Podium Versatile Silver	33.913.000
Podium Versatile Graphite	33.914.000
Podium Speed Self-Service	33.900.100
Podium Speed Tank	33.901.100

JUICE POINT OF SALE [ACCESSORIES]

MODEL	REFERENCE
Bottle Rack Kit Pro (includes 3 trays)	31.3005.100
Bottle Rack Kit Speed (includes 3 trays)	31.3005.000
Bottle Tray	31.3001.000
Bottle Tray	31.3002.000
Zumex Display Small	33.905.000
Zumex Display Large	33.910.000
Self-Service Tray Kit Speed	31.3003.000

MINEX COLORS [ACCESSORIES]

MODEL	REFERENCE
Color Kit White	34.3013.000
Color Kit Ruby Red	34.3023.000
Color Kit Green	34.3033.000
Color Kit Blue	34.3043.000
Color Kit Silver	34.3053.000
Color Kit Graphite	34.3063.000
Color Kit Bronze	34.3073.000
Color Kit Black	34.3083.000
Color Kit Orange	34.3093.000
Color Kit Light green	34.3103.000
Color Kit Light blue	34.3113.000
Color Kit Grey	34.3123.000





All around the World

WORLDWIDE PREMIUM MANUFACTURER

Leading Global manufacturer of premium citrus juicers.

Our juicers are sold in all continents with distribution and after sales service in +100 countries.





www.zumex.com

For all inquiries,
please contact: zumexusa@zumex.com
1 305 591 006

For Technical Assistance,
please contact: zumexta@zumex.com
1 877 ZUMEX-TA (1 877 986 3982)





**ZUMEX USA Inc.
USA & Canada**

1573 NW 82th Ave,
Miami, FL 33126
USA

Tel. 1 305 591 0061
Fax. 1 305 591 0062
Technical Assistance:
1-877-ZUMEX-TA
(1 877 986 3982)

zumexusa@zumex.com

www.zumex.com

**ZUMEX Group, S.A.
Headquarters**

Polígono Ind. Moncada III
C/ Molí, 2 46113 Moncada
Valencia, Spain

Tel. +34 961 301 251
Fax. +34 961 301 255

zumex@zumex.com

www.zumex.com

discover
life essence



AUTOQUOTES

Authorized Dealer

